CATALOG 2018



THE FRENCH TOUCH

THE **FRENCH** TOUCH



practical and ergonomic.





the best support is readily provided worldwide.

detail is studied and optimized.





ASSURING THE RESULT

JVD has always strived to design its products to provide customers with utmost efficiency and optimal comfort. Now, with Hygiaconnect, JVD opens the world of connected objects to all its customers. By monitoring the considerable levels in real time, Hygiaconnect guarantees the best quality service for users.



- 1000

NO ELECTRICAL INSTALLATION

The range of Hygiaconnect products work on batteries and do not require any electrical connection.



NO CONFIGURATION

The range of Hygiaconnect products do not require any configuration. They are delivered ready to operate.



SATISFACTION

Hygiaconnect warns if there is a low-level of consumables in the hygiene area and in the local stock.

ANTICIPATE

Hygiaconnect provides an accurate view of the consumables status and use to anticipate actions.

OPTIMIZE

Thanks to Hygiaconnect, it is no longer necessary to check the equipment every time. Consumables are replaced only when necessary.

CHOOSE

Our products are designed for any consumable. You have the choice to use your preferred brand and / or formats.

CONTENTS



Swimming pool hair dryers

P. 22

Fragrance

dispensers

P. 37

P. 52



Soap

dispensers

65

P. 31

P. 43





As part of our environment friendly approach, the JVD catalog is printed with vegetable inks on ecological paper from sustainable forests. JVD would like to invite all our partners and customers to ensure we have their e-mail address to send this directly in electronic format.

Non-contractual document. JVD reserves the right to change its product characteristics without prior notice. RCS 330 927 476. Production: Liner Communication - Nantes - Printing: Vincent printers Photos: Vue d'Ouest - Yves Blond - Jean-Claude Leveau - Eleven DR. Pictures taken in a Porcelanosa showroom.









Accessories



P.40

Insect traps



P. 57

RANGES **SUITABLE** FOR ALL **ENVIRONEMENTS**



BLACK COLLECTION RANGE

P.6



CLEANLINE WHITE RANGE



CLEANLINE GREY METAL RANGE

P. 8



METAL RANGE

P.9



YALISS RANGE

P. 10

BLACK CLEANLINE RANGE



A WORD FROM THE DESIGNER

"The color black gives the object a more qualitative value. Whatever the atmosphere of the place, a black product is easily fitted in; it can be discrete or very visible. The matte amplifies the qualitative side of the product and makes the solution less messy and more scratch resistant. As part of our search for solutions to minimize our environmental impact, black coloring has given us the opportunity to use recycled plastic."



REF 8 99 1382 ZIG-ZAG

P. 27

Hand dryer



REF 8 11 1376 EXP'AIR **P. 14**



1.1

P. 26

REF 8 11 1377 COPT'AIR **P.16**



REF 8 99 1380 / 8 99 1381 JUMBO 200 OR 400 **CENTRAL DISPENSER**

P. 27

Soap dispensers



REF 8 44 1379 / 8 44 1378 SOAP DISPENSER GEL OR FOAM **P. 33**

CLEANLINE WIDE RANGE



Paper dispensers





REF 8 99 607 / 8 99 608 LARGE OR SMALL TOILET PAPER **P. 26**



P. 26

SMALL DISPENSER P. 27

Hand dryer







REF 8 99 605

LARGE DISPENSER

P. 27

REF 8 44 972 **PADDLE** DISPENSER **P. 33**





RFF 8 99 845 **CLEANTECH P. 27**



REF 8 99 604 ZIG-ZAG P. 27



REF 8 44 479 / 8 44 478 **SOAP DISPENSER GEL OR FOAM** P. 33

A WORD FROM THE DESIGNER

"The Cleanline range has been designed to be both classic and timeless. Its rounded shapes and rectilinear seams allow it to easily and discreetly integrate into any type of sanitary facility. Beveled edges give it modernity and character. Its anthracite grey base makes it possible to lighten the volume. With the ability to customize our customers' logo, simplicity and practicality make this range very successful."

Jean Guy de Russé







A WORD FROM THE DESIGNER

"The metallic finish is unmistakable, classic and esteemed. This range personalizes and enhances its place. It is the finishing touch! Rarely discreet, the play of light and luster highlights the design of the products."

REF 8 99 734 / 8 99 735 JUMBO 200 OR 400 **P. 26**

Hand dryer

REF 8 11 822

EXP'AIR

P. 14



REF 8 99 736

LARGE DISPENSER

P. 27

REF 8 99 733 ZIGZAG P. 27

Soap dispensers



REF 8 44 731 / 8 44 732 GEL OR FOAM DISPENSER





Paper dispensers



P. 30



REF 8 99 622 MIXED TOILET PAPER **P. 30**



REF 8 99 797 ZIG-ZAG **P. 30**



Hand dryer



HURRICANE

P. 19



REF 8 11 414 MASTER **P. 19**

P8 JVD HYGIENE

P. 33



Soap dispensers



REF 8 44 254 **GEL DISPENSER P. 35**

Accessories



REF 8 99 1063 / 8 99 796 TOILET BRUSH WALL SUPPORT OR ON STAND **P. 41**



HURRICANE P. 17

A WORD FROM THE DESIGNER

"The stainless steel and simple lines of this range gives it a look of strength. Conversely, the carefully designed level indicator opening further refines the design. The final solution fits perfectly in high-traffic areas."

Jean Guy de Russé





A WORD FROM THE DESIGNER

"The marked character of the YALISS range seeks to give a fresh image to your bathrooms between sweetness and restlessness. The products provide new responses to greater requirements: larger capacities, universal or removable tube, even better hygiene while preserving the qualities of the CLEANLINE range (ease of use, personalization and others). To date, it is the most complete range to equip your toilets"

Jean Guy De Russé



REF 8 99 955

JUMBO

P. 28

REF 8 99 880

ZIG-ZAG

P. 29

REF 8 11 1167

COPT'AIR

P. 16

Soap dispensers



REF 8 99 954 SMALL MIXED TOILET PAPER P. 29

REF 8 99 956

LARGE DISPENSER

P. 29



REF 8 44 1448 / 8 44 1449 AUTOMATIC GEL / FOAM P. 34

Fragrance dispenser



REF 8 33 959 FRAGRANCE DISPENSER P. 38





REF 8 11 1056 SUP'AIR P. 17



REF 8 11 962 **STELL**?AIR **P. 15**





JET AIR - HOT AIR

HOT OR COLD AIR

If the sanitary facility provided is not or little heated, cold drying can be unpleasant. It is therefore recommended to choose an evaporative hand dryer or choose a jet air hand dryer with a heating resistor.

NOISE

Near an office or dining room, the sound of a hand dryer can be a nuisance. Most hot air hand dryers are relatively quiet. Some jet air hand dryers also succeed in combining performance and low noise levels.

MAINTENANCE

Paper dispensers require seamless logistics to avoid remaining empty. Some hand dryers do not require any maintenance, while others require regular emptying of the water tray and changing or cleaning of the air filters.

VANDAL PROOF

In some places, special attention must be paid to vandalism protection. The NF EN 62262 standard provides a clear definition of this protection level via the IK index. IK10 is the highest protection level. An apparatus of this type is able to withstand a blow from a 5 kg/10 lb hammer. Appliances with an aluminum or steel cover are even more robust.

USE

A hand dryer must provide a solution compatible with the level of use of the hygiene facility. For places with low traffic (<50 passages per day), the three solutions are suitable. For places with normal traffic (between 50 and 250 uses per

For high-traffic areas (between 250 and 400 uses per day), forced-air hand dryers are the only solution guaranteeing controlled cost and fast drying times.

day), the cost of paper can be prohibitive.

Finally, for intensive use facilities (> 400 uses per day), the hand dryer must be equipped with a brushless or induction motor.

ECOLOGICAL FOOTPRINT

To produce one ton of paper requires 17 trees. Manufacture and transport generate considerable amounts of CO2. Thus, the French leader of paper consumables generates 30000 tonnes of CO_2 per year for the transport of its paper throughout France.

Hand dryers are the ideal solution to reduce the ecological footprint of the sanitary facility. The latest generation jet air dryers consume very little energy and the lack of consumables makes the transport footprint negligible.



necessary for one ton of paper

IK10

An apparatus of this type is able to withstand a blow from a 5 kg/10 lb hammer

СНОО	SING	
YOUR	HAND	DRYER



	9	٣		l							•
	EXP'AIR	STELL'AIR	ALPHADRY	AIRWAVE	COPT'AIR	SUP'AIR	HURRICANE	MASTER	TORNADE	OURAGAN	ZEPHYR
ANTI-VANDAL	☆☆☆ Aluminum cover	순☆ ABS IK10	☆☆ ABS IK10	☆☆ ABS IK10	☆☆☆ Aluminum cover	☆ ABS IK9	☆☆☆ Steel cover	☆☆☆ Aluminum cover	순순 ABS PC IK10	습습습 Steel cover	순순 ABS PC IK10
PRM AND SMALL Children	<u>ት</u>				값값 Suitable height	☆☆ Suitable height	☆☆ Suitable height	값값 Suitable height	값값 Suitable height	값값 Suitable height	값값 Suitable height
DRYING TIME	☆☆☆ 10 to 15s	☆☆☆ 10 to 15s	☆☆☆ 10 to 15s	☆☆☆ 10 to 15s	☆☆☆ 10 to 15s	☆☆☆ 10 to 15s	☆☆☆ 10 to 15s	☆☆ 20 to 30s	☆☆ 20 to 30s	☆☆ 20 to 30s	☆☆ 20 to 30s
HOT AIR	No	No	Yes heating element on/off	Yes heating element on/off	No	No	Yes heating element	Yes heating element	Yes heating element	Yes heating element	Yes heating element
FREQUENCY OF USE	High	High	Intensive	High	High	High	High	Intensive	Intensive	Average	Average
NOISE LEVEL	☆☆ 75 dB	☆☆☆ 73 dB	☆ 78 dB	☆ 77 dB	☆ 80 dB	☆☆ 75 dB	☆ 80 dB	☆☆☆ 70 dB	☆☆☆ 70 dB	☆☆☆ 78 dB	☆☆☆ 69 dB
HYGIENE	Copper filter Antibacterial Coating Water collection tank	Copper filter Antibacterial Coating Water collection tank	☆☆☆ HEPA filter Water collection tank	☆☆ Air filter Water collection tank	슈슈 Antibacterial filter (optional)	☆☆ Antibacterial filter (optional)					
MAINTENANCE	Collection tray	☆☆ Filter & collection tray cleaning	다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다 다	Collection tray cleaning	습습습 Filter cleaning (option)	순순순 Filter cleaning (option)	값값값 No specific maintenance	☆☆☆ No specific maintenance	습습습 No specific maintenance	습습습 No specific maintenance	No specific maintenance
NET WEIGHT	7kg	6kg	10kg	4.7kg	4.3kg	3.4kg	5.8kg	3.8kg	3.2kg	6.25kg	1.8kg
HEIGHT (mm)	430	531	685	685	285	292	280/287	290	302	280	244
WIDTH (mm)	340	340	300	300	232	215	200/205	265	265	255	213
DEPTH (mm)	234	260	220	220	194	193	180	149	149	140	204
CERTIFICATIONS	EC - IP44 -Class II	EC - IP44 -Class II	EC - IP24 -Class I	EC - IP24 -Class II	EC - IP24 -Class II	EC - IP24 -Class II	EC - IP21 -Class I	EC - IP23 -Class II	EC - IP23 -Class II	EC - IP21 -Class I	EC - IP23 -Class II



EXP'AIR JET AIR NEW VERSION







UL1: 1

REF 8 11 822 Exp'air automatic grey alu epoxy UL1:1

+ REF 5 90 2014 Copper bactericidal filter UL1:1



HYGIENIC COPPER BACTERICIDE FILTER AND INTEGRATED WATER TRAY, ANTIBACTERIAL SURFACE TREATMENT



DIRECT DRAIN CONNECTION TO DRAINAGE SYSTEM VIA THE INCLUDED DRINK KIT



1 Logistics unit (number of items per package)

ANTI-VANDALISM ALUMINUM COVER

REF 8 11 791 Exp'air automatic white alu epoxy UL1: 1

FEATURES

Ļ

PRODUCT 🛨 'S

35%

⊏]× **50%**

More economical

than similar

models

Quieter than similar

models

100%

Suitable for PRM

and small children

- Drying time: 10 to 15 seconds - Frequency of use: High Noise level: 75 dB (New version: -30%) - Anti-vandalism: Aluminum cover - Lighting of the drying zone - Bactericidal copper filter included - 0.6 L/qt water collection tray - Rated power: 800 W (New version: -30%) - Power supply: 230 V - 50Hz - EC - Class II - IP44 - 3 finishes: Black, white and metallic grey - 3-year warranty - Dim. : W.343 x H.430 x D.237 mm



HAND DRYER

STELL'AIR JET AIR









REF 8 11 963 Stell'air automatic grey alu UL1:1

REF 8 11 962 Stell'air automatic white alu UL1:1

+ REF 5 90 2014 Copper bactericidal filter UL1:1







HYGIENIC COPPER BACTERICIDE FILTER AND INTEGRATED WATER TRAY, ANTIBACTERIAL SURFACE TREATMENT

EASY TO USE LARGE OPENING AND LIGHTING OF THE DRYING ZONE





PRODUCT + 'S



More economical than similar models



□× **73dB**

The quietest on the market



100%

Ergonomic with wide opening and lighting

FEATURES


- Drying time: 10 to 15 seconds
- Frequency of use: High
- Noise level: 73dBA
- Anti-vandalism: ABS IK 10 cover
- Lighting of the drying zone
- Bactericidal copper filter included
- 1 L/qt water collection tray
- Rated power: 800 W (New version: -30%)
- Power supply: 220-240 V / 50Hz
- EC Class II IP44
- 2 finishes: white and metallic grey
- 3-year warranty
- Dim. : W.340 x H.531 x D.220 mm





ANTI-VANDALISM ABS - ULTRA ROBUST





HAND DRYER

SUP'AIR JET AIR



Anti-bacterial filter UI ^{1,} 1

HURRICANE JET AIR







REF 8 11 1056 Sup'air automatic white UL1: 6



LIGHTING OF DRYING ZONE

PRODUCT + 'S

- Ultra-fast drying
- Very low power consumption
- Compact
- Highly cost-effective
- Easy replacement of
- an existing hand dryer

FEATURES

- Drying time: 10 to 15 seconds
- Frequency of use: High
- Noise level: 75 dB (New version: -10%)
- Anti-vandalism: ABS IK9 cover
- Lighting of the drying zone
- Antibacterial filter (optional)
- Rated power: 500 W
- (New version: -50%)
- Power supply: 220-240 V / 50Hz - EC - Class II - IP24
- 2 finishes: white and metallic grey
- 3-year warranty
- Dim. : W.232 x H.285 x D.194 mm



REF 8 11 614

Hurricane - automatic white

PRODUCT + 'S

- Ultra-fast drying
- Compact
- heating element on/off - Steel cover
- Easy replacement of an existing hand dryer

FEATURES

- Drying time: 10 to 15 seconds
- Frequency of use: High
- Hot air: heating element on/off
- Noise level: 80 dB
- Anti-vandalism: steel cover
- Lighting of the drying zone
- Rated power: 1600 W
- (1340 W with no heating resistance)
- Power supply: 220-240 V / 50Hz
- EC Class I IP21
- 2 finishes: white and satin stainless steel
- 2-year warranty
- Dim. (white): W.205 x H.287 x D.180 mm
- Dim. (stainless steel) W.200 x H.280 x D.180 mm





ALPHADRY JET AIR



ZONE

AIRWAVE JET AIR



WATER TANK



HYGIENIC INTEGRATED WATER TRAY PRODUCT + 'S

- Ultra-fast drying

ECO CONCEPTION

\$

- Suitable for intensive use - heating element on/off
- Integrated HEPA filter
- Water collection tray

PRODUCT + 'S

- Ultra-fast drying

hand dryer

FEATURES

- Integrated air filter

- Water collection tray

- Drying time: 15 to 20 seconds - Frequency of use: High - Hot air: heating element on/off - Noise level: 77 dB - Anti-vandalism: ABSIK10 - Lighting of the drying zone - Integrated air filter

- 0.6 L/qt water collection tray

(600 W with no heating resistance)

- Power supply: 220-240 V / 50Hz

- 2 finishes: white and metallic grey

- Dim. : W.250 x H.470 x D.160 mm

- Rated power: 1400 W

- EC - Class II - IP24

- 2-year warranty

- heating element on/off

- Easy replacement of an existing

- Drying time: 10 to 15 seconds - Frequency of use: Intensive (brushless motor) - Hot air: heating element on/off - Noise level: 80 dB - Anti-vandalism: ABS IK10 - Lighting of the drying zone - Integrated HEPA air filter - 0.8 L/qt water collection tray - Rated power: 2050 W (1050 W with no heating resistance) - Power supply: 220-240 V / 50Hz - 2 finishes: white and metallic grey - Dim. : W.300 x H.685 x D.220 mm

HAND DRYER

TORNADE HOT AIR



RFF 8 11 292 Tornade - automatic, chrome UL1: 6

MASTER HOTAIR



Master - automatic, brushed chrome UL1: 4

ANTI-VANDALISM ALUMINUM COVER

200

OURAGAN HOT AIR



REF 8 11 378 Hurricane - automatic, chrome UL1: 4

P18 JVD HYGIENE

REF 8 11 251 / 8 11 252 Tornade - automatic, white ABS or Composite UL ¹ : 6	 PRODUCT • s Hot air Suitable for intensive use Quiet (70 dB) Easy replacement of an existing hand dryer FEATURES
LIGHTING DF DRYING ZONE	 Drying time: 20 to 30 seconds Frequency of use: intensive - induction motor Noise level: 70 dB Anti-vandalism: ABS - IK10 composite Rated power: 2400 W Power: 220-240 V / 50Hz EC - Class II - IP23 3 finishes: white, white composite and chrome 3-year warranty Dim. : W.265 x H.302 x D.149 mm
REF 8 11 413 Master - automatic, white UL ¹ : 4	 PRODUCT : s Hot air Suitable for intensive use Quiet (70 dB) Anti-vandal: aluminum cover Easy replacement of an existing hand dryer
LIGHTING DF DRYING ZONE	 FEATURES Drying time: 20 to 30 seconds Frequency of use: intensive - induction motor Noise level: 70 dB Anti-vandalism: Aluminum Rated power: 2600 W Power supply: 220-240 V / 50Hz EC - Class II - IP23 Finishes: white, white composite and chrome 3year warranty Dim. : W.265 x H.265 x D.130 mm
REF 8 11 341 Hurricane - automatic, white UL ¹ : 4 REF 8 11 342 Hurricane - manual, white UL ¹ : 4	 PRODUCT • s Hot air 360° adjustable nozzle Anti-vandalism: steel cover Easy replacement of an existing hand dryer EEATURES Drying time: 20 to 30 seconds Frequency of use: Average Noise level: 78 dB Anti-vandalism: Pressed steel Rated power: 2600 W Power supply: 220-240 V / 50Hz
ANTI-VANDALISM STEEL COVER	- EC - Class I - IP21 - 3 finishes: manual white, white and chrome - 2-year warranty - Dim. : W.265 x H.240 x D.200 mm

JVD.



REF **8 11 1402** Zephyr automatic blue UL¹: 6 HAND DRYER IMAGIN'AIR HOT AIR



P20 JVD HYGIENE

REF 8 11 1401

white

UL1: 6

Zephyr automatic

REF 8 11 1404

Zephyr automatic

light blue

UL1: 6

1 Logistics unit (number of items per package)





PRODUCT 🛨 'S



Exclusive brushed stainless steel, wood and polished design



Many variations: Hot air or forced air with or without rotating nozzle



Ideal solution for installation behind a mirror

FEATURES

- Hot air vision
- Drying time: 20 to 30 seconds
- Frequency of use: Intensive induction motor
- Noise level: 70 dB
- Rated power: 2600 W
- Power supply: 230 V 50 Hz
- EC Class II IP23

- Forced air version

- Drying time: 10 to 15 seconds
- Frequency of use: High
- Noise level: 75 dB
- Rated power: 500 W
- Power supply: 230 V 50Hz
- EC Class II IP24
- 3-year warranty
- Dim. : W.232 x H.285 x D.194 mm

ightarrowContact us



CAN BE INSTALLED BEHIND A MIRROR

HAIR DRYER WIMMING POOL AND COMMUNITIES

SWIMMING POOL HAIR DRYERS

NEPTUNE





DRAGON



REF 8 22 1407 Neptune hair dryer red UL1: 1

EASY TO CLEAN NO SOILING OF RAILS, ALL SURFACES ARE ACCESSIBLE


PRODUCT 🛨 'S

- Adjustable height
- 180° rotation
- Quiet (70 dB)
- Durable (induction motor)
- Protected against chlorinated atmosphere

JVD,

FEATURES

- Frequency of use: intensive induction motor
- Noise level: 70 dB
- Anti-vandalism: ABS PC IK 10* enclosure
- Rated power: 2000 W
- Power supply: 220-240 V / 50Hz
- EC Class II IP23*
- 3-year warranty
- Dim. on support: W.138 x H.1153 x D.148mm
- Dim. as hair dryer: W. 150 x H.348 x D.384 mm



- Anti-vandalism: ABS IK 10 enclosure
- Anti-dust filter
- Rated power: 2100 W
- Power supply: 220-240 V / 50Hz
- EC Class II IP23
- 3-year warranty
- Dim. : W.255 x H.280 x D.140 mm

PAPER DISPENSERS

PAPER DISPENSERS



HAND TOWEL SIZES



Folded disposable paper is compatible with Zig-Zag type devices. They are classified according to the sheet folding type:

Interleaved paper: W or Z Zig zag folded paper: V Folded paper: C



Tubeless roll of disposable paper is compatible with dispenser type devices.



Tubed roll of disposable paper is compatible with automatic cutting dispenser type devices. They come in roles of different diameters and lengths. Caution: some rolls are only compatible with proprietary solutions.



2 POSSIBLE SOLUTIONS

There are two solutions on the market. As part of a proprietary solution, the equipment is generally free or provided at a reduced price. The equipment only works with brand consumables and these are usually more expensive. Conversely, JVD's open-source solutions are sold normally but allow the use of consumables of all brands (including brands offering proprietary equipment).

ECOLABEL

Ecolabel is a European ecological label based on the global approach principle which takes into consideration the life cycle of the product from the extraction of raw materials, including the manufacture, distribution, and use until recycling or disposal after use. The quality and use are also taken into account.





CLEANLINE RANGE PAPER DISPENSERS

THE ADVANTAGES OF OUR CLEANLINE RANGE



MADE IN FRANCE

Our products, entirely designed and manufactured in France, benefit from 30 years of JVD experience.



SECURE **ENCLOSURE** The Cleanline range is

equipped with a removable key. A permanent key is also available as an option.



CUSTOMIZABLE

The Cleanline range is

completely customizable and

can display the customer's

brand.

EASY REPLACEMENT OF CONSUMABLES

The Cleanline range is compatible with the majority of consumables on the market: the level is always visible and access is easy.

CLEANLINE JUMBO 200 - 400



REF 8 99 1380 Cleanline TP Jumbo 200 black hood UL1: 8

RFF 8 99 1381 Cleanline TP Jumbo 400 black hood UL1: 8

Cleanline TP Jumbo 200 grey hood UL1: 8 RFF 8 99 735

Cleanline TP Jumbo 400 grey hood UL1: 8



REF 8 99 602 Cleanline TP Jumbo 200 white hood UL1: 8 RFF 8 99 603 Cleanline TP Jumbo 400

white hood UL1: 8

CLEANLINE LARGE - SMALL TP





PRODUCT + 'S

the blades

- ABS hood - Grey ABS chassis - Capacity: 200 / 400 m roll

- Paper level viewing window

- Dim. (200): W.245 x H.275 x D.120 mm - Dim. (400): W.285 x H.320 x D.120 mm

Adaptable tubes for the Jumbo 400:

- Possibility of installing a fixed key (2 10 1697)

60 mm (2 10 1439) or 50 mm (2 10 1412)

FEATURES

- Ø 45 mm tube

- 4 fixing points

Option:

- Easy cutting right and left thanks to

- Level display

FEATURES

- White ABS hood - Grey ABS chassis

- Capacity: Cleanline small TP 1 domestic roll or
- 2 packs (8 99 608)
- Cleanline large TP: 4 packs (8 99 607)
- 4 fixing points - Dim. (small): W.137 x H.145 x D.122 mm
- Dim. (large): W.145 x H.275 x D.135 mm Option
- Possibility of installing a fixed key (2 10 1697)

CLEANLINE RANGE

PAPER DISPENSERS

CLEANLINE ZIG-ZAG



- ABS hood - Grey ABS chassis - Capacity: 400 to 600 paper towels - Maximum dimensions of format: Maximum width 245 mm -Depth 110 mm - Paper level viewing window - 4 fixing points - Dim. : W.265 x H.340 x D.110 mm Option: - Possibility of installing a fixed key (2 10 1697)

FEATURES

RFF 8 99 1382 Cleanline Zig-zag black hood UL1: 8

RFF 8 99 733 Cleanline Zig-zag grey metal hood UL1: 8



RFF 8 99 604 Cleanline Zig-zag white hood UL1: 8



CLÉ FIXE

REF 2 10 1697 Clé fixe Cleanline (Fixed key) UL1:1

OPTIONAL

- Exclusive to the Cleanline range - Permanent key to be attached to the device - Avoids problem of loss

CLEANTECH AUTOMATIC TOILET PAPER DISPENSER



REF 8 99 845

Cleantech white

UL1:1

PRODUCTS + 'S - Optimized hygiene:

- no contact with the device - Effortless
- paper cutting
- Antistatic roll to prevent jams


FEATURES

- White ABS hood Grey ABS chassis
- Capacity:
- Maximum diameter: 216 mm Maximum width: 210 mm
- Suitable tube diameters:
- 38 mm to 51 mm
- Weight: 3 kg - Dim. : W.309 x H.398 x D.252 mm

P26 JVD HYGIENE







YALISS RANGE PAPER DISPENSERS

THE ADVANTAGES OF OUR YALISS RANGE



MADE IN FRANCE

Our products, entirely designed and manufactured in France, benefit from 30 years of JVD experience.

EFFORTLESS

The Yaliss range has been specially designed to be easy to install and maintain.



SUITABLE FOR LARGE FORMATS

Our products have been designed to fit all paper sizes including large sizes.

YALISS JUMBO 400



white UL1:8





EASY-TO-USE EASY CUTTING RIGHT AND LEFT THANKS TO THE BLADES



UNIVERSAL UNIVERSAL TUBE HOLDER



ANTI-VANDALISM SYSTEM ABS-PC RUGGED COVER - SHOCK RESISTANT IK10 (REF 8 99 1288)

YALISS RANGE PAPER DISPENSERS



YALISS ZIG-ZAG



YALISS LARGE DISPENSER



PRODUCT 🛨 'S

- Anti-vandalism: impact-resistant ABS-PC cover (IK10) - Secured key locking
- Convenient: easy replacement of paper - Easy cutting right and left thanks to

CUSTOMIZABLE

The Yaliss range is

completely customizable and

can be used to display the

customer's brand.

the blades

FEATURES

- Material 8 99 955: ABS 8 99 1288: ABS-PC - Capacity: 1 roll, 400 m - max. Ø 295 mm - Universal core - Paper level viewing window - 4 fixing points - Dim. : W.310 x H.334 x D.123 mm

, JVD,

METAL RANGE PAPER DISPENSERS

THE ADVANTAGES OF OUR METAL RANGE



SOAP DISPENSERS

UL1: 8



SOAP DISPENSERS



BULK OR CARTRIDGE

There are two main solutions on the professional soap dispenser market. Proprietary cartridge soap dispensers that need to be replaced when empty. Solutions with a built in container make it possible to use bulk soap (drum). This solution is more economical and more environmentally friendly (less packaging).

GEL OR FOAM SOAP

Soap is available in two forms. Gel soap is more common on the market. There is also foam soap. With a suitable dispenser, this solution allows to reduce the soap consumption by up to 8 and water consumption by up to 50%.

THE PUMP: KEY ELEMENT OF THE DISPENSER

Inside the dispenser, the pump is the part that manages the soap distribution. The performance of a pump can be measured according to two criteria: its capacity to limit the flow and its durability.

AUTOMATIC SOAP DISPENSERS

Automatic soap dispensers are increasingly installed in sanitary facilities. They are more hygienic, they work without contact with the device. They can also be more economical by limiting flow.

ECOLABEL IS A EUROPEAN ECOLOGICAL LABEL

It is based on the global approach principle which takes into consideration the life cycle of the product from the extraction of raw materials, including the Ecolabel manufacture. distribution. and use until recycling or disposal after use. The quality and use are also taken into account.



A foam dispenser can be used to reduce consumption by as much as 8 times

CLEANLINE RANGE SOAP DISPENSERS

CLEANLINE GEL or FOAM





REF 8 44 732 Cleanline foam grey hood UL1: 24

REF 8 44 731 Cleanline gel grey hood UL1: 24

REF 8 44 1379 Cleanline gel matte black hood UL1:24

REF 8 44 1378

Cleanline foam

UL1: 24

matte black hood





HYGIENIC THE VERSION WITH PADDLE AVOIDS CONTACT WITH HANDS (REF 8 44 972)

FOAM FOAM ALLOWS TO DIVIDE SOAP CONSUMPTION BY AS MUCH AS 8 TIMES

PRACTICAL EASY TO REFILL AND CLEAN THANKS TO ITS REMOVABLE CONTAINER

FOAM SOAP



REF 8 88 648 Foam drum 5L/qt UL1: 3



P32 JVD HYGIENE

PRODUCT 🛨 'S

- Verv robust
- Easy replacement of consumables

JVD,

- 3 colors:
- 3 versions: gel, foam or hydroalcohol gel

FEATURES

- Tank capacity: 700 ml/1 qt
- Compatible with hydroalcoholic gel
- Removable tank for easier cleaning
- Material: ABS
- Flow rate: 1 ml 1/4 tsp or 0.5 ml 1/8 tsp doses
- Level indicator
- Key locking
- HACCP food industry standards
- 1-year warranty
- Dim. : W.110 x H.206 x D.106 mm
- Option:
- Possibility of installing a fixed key (2 10 1697)

REF 8 44 479 Cleanline gel white hood UL1: 24

REF 8 44 1455

Cleanline hydroalcoholic gel

UL1: 24

white

REF 8 44 478

Cleanline foam

white hood

UL1: 24



ECONOMIC THE FLOW REDUCER ALLOWS TO HALVE CONSUMPTION OF GEL SOAP



PRODUCT + 'S

- Ecological
- Economical
- Gentle on the hands
- Deodorant action

FEATURES

- Capacity: 5 L/qt
- Colour: blue
- Made in the European Union: RS 37106/Z
- pH: 6.0 6.5
- Biodegradable
- Complies with standards 73 / 404CEE and 73/405CEE

YALISS RANGE SOAP DISPENSERS

YALISS SAVON AUTO GEL OR FOAM







- Hygienic Automatic hand detection - Suitable for medical and agri-food

- industry
- Easy replacement of consumables - 2 versions: gel or foam

FEATURES

- Capacity: 1000 ml/1 qt - Automatically turns off when the cover is opened - Removable container for easier cleaning - Large opening for level display - Flow rate: 1 ml - 1/4 tsp per dose (gel) - Material: ABS - Power supply: 4 1.5 V LR6 (AA) batteries (not supplied) - Level display - Key locking - HACCP food industry standards - 2-year warranty - Dim. : W.158 x H.296 x D.106 mm





HYGIENIC AUTOMATIC HAND DETECTION



FOAM OR GEL INTERCHANGEABLE PUMP SYSTEM

1 Logistics unit (number of items per package)

SOAP DISPENSERS

SAPHIR



REF 8 44 397 Sapphire dispenser white good UL1: 12

SAVINOX





REF 8 44 254 Savinox 850ml polished stainless steel REF 8 44 304 Savinox 850ml brushed stainless steel UL1: 12

ISISS

UL1: 12







PRODUCT + 'S

- Automatic hand detection
- Large capacity (1100 ml 1.1 qt)
- Ecological (flow rate limited to 1 ml 1/4 tsp every 3 sec)

FEATURES

- Automatically turns off when the cover is opened
- Automatic hand detection
- Visual level indicator
- Flow rate: 1 ml 1/4 tsp per dose
- -1 dose every 3 seconds
- Power supply: 4 1.5 V LR6 (AA) batteries
- Batteries not included
- Key locking
- HACCP food industry standards
- 1-year warranty
- ECO recycling
- Dim. : W.140 x H.235 x D.107 mm

PRODUCT	+	'S
---------	---	----

- Anti-vandalism
- 304 anti-corrosion stainless steel
- Soap level view

FEATURES

- Tank capacity: 450 ml and 850 ml
- 2 finishes: 304 polished stainless steel (8 44 254) (8 44 253) 304 brushed stainless steel (8 44 304)
- Reinforced fixing system
- Hood key lock
- Visual level indicator
- HACCP food industry standards
- 1-year warranty
- Dim. (450 ml/1 qt): W.90 x H.169 x D.115 mm
- Dim. (850 ml/1 qt): WL.105 x H.182 x D.115 mm

8	44	77	2

PRODUCT 🛨 'S


- Ecological & economical: reusable container

- Easy refilling
- Key lock (key supplied)

FEATURES

- Key locking system for container
- Tank capacity: 300 ml/1 qt
- Material: ABS
- Flow rate: 1 ml per dose
- White or translucent finish
- Transparent container
- HACCP food industry standards
- 1-year warranty
- Dim. : W.75 x H.202 x D.58 mm






PRACTICAL

EASY TO REFILL



REF 8 44 253 Savinox 450ml shiny stainless steel finish UL1: 12

SOAP DISPENSERS



PRACTICAL INTEGRATED LEGIBLE INSTRUCTIONS FOR USE

1 Logistics unit (number of items per package)

P36 JVD HYGIENE



YALISS RANGE FRAGRANCE DISPENSERS



FRAGRANCE DISPENSERS




AMARILLYS REFILL



ELIMINODOR







CAUSED BY THE MOVEMENT OF THE DOOR ON WHICH IT IS FIXED.

1 Logistics unit (number of items per package)



CHANGING TABLES


WALL MOUNTED ROLLER CHANGING TABLE




REF 8 99 1385 Folding horizontal roller changing table UL1: 1

+ REF 2 90 2175 roller changing table strap UL1:1

BABY CHANGING STATION



SHEET DISPENSER







PRODUCT + 'S

- Complies with EN 12221
- Designed especially for the child's comfort
- Gentle opening
- Unrivaled hygiene (no stagnant residue)
- Antibacterial treatment

FEATURES

- Fixing kit included
- Made of high density polypropylene with the addition of SteriTouch® antibacterial
- Net weight: 9 kg
- Dim. (vertical): W.490 x H.780 x D.823 mm
- Dim. (horizontal): W.760 x H.600 x D.647 mm



WASHABLE AND REPLACEABLE STRAP



PRODUCT 🛨 'S

- Material designed especially for the child's comfort
- Antibacterial treatment
- 5 colors:

FEATURES

- Encapsulated matters in polyurethane / polymer latex with UV stabilizer and anti-bacterial Stéritouch®.
- Superskin surface, 100% waterproof
- Fixed on an aluminum rail (included) secured to the worktop
- Guard rail (optional)
- Dim. : W.850 x H.575 mm

NEW

PRODUCT + 'S

- Comfort (tissue sensation)
- Hygienic (water resistant)

FEATURES

- Sheet roll: Combination of white tissue paper and polyethylene sheet. Delivered in 50 m roll producing approximately 130 protection sheets.


JVD HYGIENE **P41**



NEW

SANITARY AND BATHROOM ACCESSORIES

SUPPORT BARS	NEW	TOWEL HOLDERS	NEW
REF 8 99 1436 Angled support bar JL': 12 REF 8 99 1437 Straight support bar UL ': 1 REF 8 99 1446 Straight support bar UL ': 1	FEATURES • Material: Stainless steel • Dim. (angled bar): W.420 x H.265 x D.119 mm • Dim. (straight bar): W. 400 mm or W. 500 mm	REF 8 99 1440 Single towel rail: UL ¹ : 24 REF 8 99 1441 Double towel rail UL ¹ : 12 REF 8 99 1442 Towel rack: UL ¹ : 10	FEATURES • Material: 304 stainless steel • Dim. (single towel rail): W.647 x D.80 mm • Dim. (double towel rail): W.652 x D.130 mm • Dim. (towel rack): W.647 x H.125 x D.245 mm
HOOKS	NEW	ECLIPS MIRRORS	
REF 8 99 1438 Single hook JL': 48 REF 8 99 1439 Outple hook JL': 48	FEATURES Single hook: - Material: 304 stainless steel - Dim. : W.56 x D. 60mm Double hook: - Material: Brass - Dim. : W.87 x D. 55mm	REF 8 66 610 Eclips square illuminated black - tubular chrome- plated brass arm UL ¹ : 12	 PRODUCT S (s) No electrical connection required Magnification x3 LED lighting FEATURES Operates with a standard lithium battery (3.6V) included Touch-activated Timer: 3 minutes Battery Life: ± 5 years Magnifying reflection x3 Dim. (flat arm): W180 x H.195 x D.80/230 mm Dim. (Tubular arm): W180 x H.285 x D.65/330 mm
TOILET ROLL DISPENSERS	NEW	BRUSHES	NEW
REF 8 99 1443 foilet paper roll noider JL': 28 REF 8 99 1444 foilet paper reserve oll holder JL': 28 REF 8 99 1444 Foilet paper reserve oll holder JL': 28 REF 8 99 620 Toilet paper metal roll holder UL': 20 REF 8 99 619 Toilet roll holder White metal	FEATURES Naterial: 304 stainless steel Dim: W180 x D. 90mm Naterial: 304 stainless steel Dim: W175 x D. 90mm Naterial: 304 stainless steel or Material: Brushed stainless steel or White epoxy Dim: W130 x H.104 x D.130mm	REF 8991063 Toilet brush with brushed stainless steel wall bracket UL ¹ : 24	 PRODUCT S · S 304L stainless steel Anti-slip plastic base protects the floor CAN be placed on a surface or fixed to the wall Dim. Ext: Ø 104 x H.275 mm Dim. Inner tray: Ø 85 x H.105 mm



<u>P42</u> JVD

BINS



Since the July 1, 2016, sorting of recyclable waste at the source is an obligation in France (Decree No. 2016-288 of March 10 2016 of the Energy Transition for Green Growth Act).

THE SORTING OF FLOWS OF PAPER, METAL, PLASTIC, GLASS AND WOOD IS NOW **COMPULSORY.**

For whom?

Companies, businesses and administrative bodies who entrust the collection of their waste to a private company or who generate more than 1100 liters / week of waste and who use the public collection service.

THE SORTING OF OFFICE PAPERS AT THE SOURCE IS MANDATORY.

JULY 1,	JANUARY 1,	JANUARY 1,
2016	2017	2018
For organizations with over 100 administrative positions	For organizations with over 50 administrative positions	For organizations with over 20 administrative positions

EACH SPACE ITS OWN BIN



P. 45



P. 46

Sanitary



P. 48





Kitchen



P. 51

OFFICE BINS

WASTE SORTING B	BIN	40 L/QT	
	REF 8 99 1005 Brushed stainless steel recycling bin UL ¹ : 1	 PRODUCT : s Compact waste bin solution (office rooms) 3 removable compartments in galvanized steel Easy to empty Stickers include 	ces and
REF 8 99 1080 Black epoxy waste sorting bin UL ¹ : 1	ľ	FEATURES - Material: painted metal steel - Capacity: 40 L/qt 2 compartments of 10 L 1 compartment of 20 L, - Colors: black or brushe steel - Dim. : Ø 335 x H.470 m	./qt ′qt d stainless
RECTANGU BIN 2 CONI	LAR SORTING TAINERS	14 L/QT	NEW
REF 8 99 1261 Rectangular sorting bi 2 containers UL': 6	-	PRODUCT • S • Easy to empty (2 • Rugged (steel of FEATURES • Epoxy steel outer conta • Inside polypropylene cc • Capacity: 14 L/qt • Dim: W.270 x H.290 x D	uter tray) iners ntainers
WASTE CON	REF 8 99 1007	BEF 8 99 546	REF 8
REF 8 99 545 pedal bin - 10 L/qt polished stainless steel UL ¹ : 6	REF 8 99 1007 Waste bin - 10 L/qt stainless steel double wall UL ¹ : 4	REF 8 99 546 Waste bin - 10 L/qt double wall UL ¹ : 4	REF Was sing UL ¹ :

P44 JVD HYGIENE



WASTE **SORTING BIN**



REF 8 99 1086 Black waste sorting bin, 3 colored containers UL1: 4

REF 8 99 881 Black wastes sorting bin, 3 black containers UL1: 4

REF 8 99 1031 Brushed stainless steel sorting bin, with 3 colored containers UL1: 4



10 L/QT

PRODUCT + 'S

- Unique design for sorting small size waste
- 6 stickers included
- Easy to empty thanks to integrated handles

FEATURES

- Rubber protection at the base to prevent floor scratching
- Capacity: 3 x 3.3 L/gt
- External colors: black or brushed stainless steel
- Inner containers black or colored
- Dim. : Ø 245 x H.300 mm

BIN + SORTING CONTAINER



RFF 8 99 1422 25L/qt bin, blue UL1: 6

REF 8 99 1496 6L (1.5 a gallon) waste sorting container, UL1: 6

RECTANGULAR BIN



REF 8 99 1420 Rectangular 6.6 L/qt bin UL1:1

REF 8 99 1421 Rectangular 13.2 L/qt bin UL1:1

PRODUCT + 'S

10 L/QT

- 6L/qt waterproof container for waste and 25L/qt container for paper

6.6/13.2 LITERS/QTS

NEW

NEW

FEATURES

- Material: Plastic - Scratch-resistant and easy to clean

10 L/QT

PRODUCT 🛨 'S

- Contemporary design

FEATURES

- Perforated waste basket:
- Can be used as a laundry basket - Rubber protection at the base to
- prevent floor scratching
- Color: mirror polished stainless steel
- Dim. : Ø 200 x H.297 mm

Waste bin:

- Double wall system to hide the bag and hold it in place
- Colors: black, satin stainless steel, bamboo effect
- Double-wall version available for satin stainless steel and black
- Dim. : Ø 225 x H.275 mm

8 99 1087 e bin - 10 L/qt



REF 8 99 1088 Waste bin - 10 L/qt bamboo single wall UL1: 4



SANITARY BINS

WALL HALF-MOON BIN



REF 8 99 1417 Half-moon wall-mounted waste bin white 40 L/qt UL¹: 1

WALL-MOUNTED BIN



1 Logistics unit (number of items per package)

SANITARY BINS

ROUND BIN

NEW

NEW

20/40 LITERS/QTS

PRODUCT 🛨 'S

- Easy to install

- Easy to empty

- Material: Epoxy painted steel

- Dim (20 L/qt): W.350 x D.190 x H.495 mm

- Dim (40 L/qt): W.400 x D.210 x H.660 mm

- 2 colors: white or black

- Blunt edges

FEATURES

40 L/QT

system

FEATURES

- Bin materials: Polypropylene - Wall-mount material: Epoxy - Capacity: 40 L/qt

PRODUCT + 'S

- Easy to install with wall mounting

- Dim. (container): W.420 x H.610 x D.370 mm

- Dim. (lid): W.455 x H.175 x D.330 mm



REF8 99 433REF8 99 4345 L/qt pedal bin
white
UL1: 412 L/qt pedal bin
white
UL1: 2REF8 99 99730 L/qt pedal bin
white



REF 8 99 435 REF 8 99 436 REF 8 99 437 3 L/qt pedal bin -5 L/qt pedal bin -12 L/qt pedal bin polished stainless steel polished stainless polished stainless steel UL1:4 steel UL 1:2 REF 8 99 821 REF 8 99 998 20 L/qt pedal bin -30 L/qt pedal bin polished stainless steel polished stainless steel UL 1:1

UL1:1

SWING TOP

← REF 8 99 1085 Swing top bin white 50 L/qt UL¹: 3 REF 8 99 1084 Swing top bin white 25 L/qt UL¹: 4 REF 8 99 1083 Swing top bin white 10 L/qt

UL1: 6

LADYBOX



P46 JVD HYGIENE



	3, 5, 12, 20 AND 30 LITERS/QUARTS
	 PRODUCT • s Plastic inner container Fire-resistant design Smooth material easy to clean and maintain Wide range of capacity: 3 to 30 L/qts
	FEATURES
PRACTICAL EASY MAINTENANCE THANKS TO ITS PLASTIC CONTAINER	 Material: Metal exterior Inner plastic container Rubber protection at the base protecting against floor scratches and detergents Increased mobility thanks to its handle Rugged opening mechanism: fully metallic Floor grip reinforced by 2 rubber pads Colors: white/polished stainless steel (18/0) Dim. (3L): Ø.167 x H.270 mm Dim. (5L): Ø.203 x H.284 mm Dim. (12L/qt): Ø.284 x H.400 mm Dim. (20L/qts): Ø.292 x H.445 mm Dim. (30L/qts): Ø.292 x H.600 mm
	10, 25 AND 50 LITERS/QTS
PRACTICAL SWING TOP	 PRODUCT S Suitable for all interiors Highly cost-effective Swing top Easy to empty PEATURES Materials: polypropylene Capacity: 10, 25 and 50 L/qts Color: white Dim. (10L/qts): W.246 x H.373 x D.198 mm Dim. (25L/qts): W.306 x H.668 x D.340 mm
	 PRODUCT : s Rugged Narrow format to fit available toilet space Hygienic opening: thanks to a pedal that avoids any direct contact Airtight waste deposit area Easy to maintain FEATURES Capacity: 20 liters/qt (bag capacity 50 liters/qts) Material: polypropylene (for intensive use)

- Colors: Grey hood / white recovery tray

- Support ring for the bag inside the tray
- Dim. (10L/qts): W.480 x H.415 x D.175 mm

HYGIENIC PEDAL OPENING

BINS FOR COMMON AREAS

SORTING STATIONS NEW 150 L/QT PRODUCT + 'S - Simple design for a large capacity sorting solution - Easy to empty with 3 galvanized steel inner containers or bag holders for the transparent version - Stickers included to identify the use of containers RFF 8 99 1432 RFF 8 99 1433 REF 8 99 1431 Stainless steel sorting Transparent sorting Grey sorting FEATURES station station station UL1: 1 UL1:1 UL1:1 Material: painted metal epoxy (8991430 and 8991432), 201 stainless steel (8991433), metal and acrylic (8991431) REF 8 99 1430 Capacity: 150 L/gt Black sorting station 2 compartments of 40 L/qt UL1:1 1 compartment of 70 L/qt - Dim. : W.822 x H.850 x D.452 mm PRACTICAL 16 EASY TO EMPTY WITH 3 GALVANISED STICKERS INCLUDED STEEL CONTAINERS WASTE SORTING BIN NEW 60 L/QT PRODUCT 🛨 'S REF 8 99 1004 - Compact waste sorting solution Black waste sorting bin - Easy to empty with 3 removable 60 L/at galvanized steel compartments UL1:1 - Stickers included to identify the use of containers FEATURES - Material: painted metal or stainless steel - Capacity: 60 L/gt 2 compartments of 15 L/qt 1 compartment of 30 L/qt REF 8 99 1081 - Colors: black or brushed stainless steel Brushed stainless steel - Dim · Ø 355 x H 670 mm waste sorting bin 60 L/qt UI ^{1,} 1 **BATTERY BIN** 12/37 LITERS/QTS PRODUCT 🛨 'S REF 8 99 1428 - Quiet with padded bottom Battery bin - Lockable with key included 12 L/qt - Stickers included UL1: 4 FEATURES - Material: Recyclable Plexiglass - Capacity: 12 x 37 L/qts - Dim.: (12 L/qt): Ø.250 x H.250 mm REF 8 99 1429 - Dim.: (37 L/qts): Ø.250 x H.750 mm - Opening: 11 x 3.8 cm Battery bin 37 L/qt QUIET UL1: 2 WITH PADDED BOTTOM

1 Logistics unit (number of items per package)

BINS FOR COMMON AREAS

OPEN DOME WASTE SORTING BIN



PUSH BIN









REF 8 99 1425 Open Dome 40 L/qt bin vellow UL1:1

40 L/QT

NEW

PRODUCT + 'S

- Color lids help identification for sorting
- 5 colors (stainless steel, green, blue, red and yellow)
- Rubber protection at base of collector to prevent scratches

FEATURES

- Material: Brushed stainless steel outer container.
- Inner containers made of galvanized steel - Detachable open dome lid
- Dim. : Ø.350 x H.740 mm



PRACTICAL GALVANIZED INNER CONTAINER WITH HANDLE

BINS FOR COMMON AREAS

WASTE SORTING BIN



Bottle / Cup / Can

Opening Ø 12cm (4.7")

Bottle / Cup / Can Opening 10.5x10.5cm (4.1")



REF 8 99 1102 Yellow sorting lid UL1:1



UL1: 1

PRACTICAL PLASTIC TROLLEY FOR

60 AND 80 L/QT RECYCLING BIN



REF 8 99 1100 Green sorting lid



REF 8 99 1103 Blue paper sorting lid UL1:1





REF 8 99 1099 Grey sorting lid

REF 8 99 1105

Plastic trolley

UL1:1

Other waste



Bottle / Cup / Can

Opening Ø 12cm (4.7")

REF 8 99 1101

Blue sorting lid

Other waste

UL1: 1

Push sorting lid UL1:1



REF 8 99 1106 Locking system UL1:1

REF 8 99 1098

without lid

UL1:1

80 l/qt recycling bin

60/80 LITERS/QTS

Commercial offer

6 waste sorting

stickers included

Multiple combinations

The lids are adapted to the type of sorting • • • •

containers exist in →Contact us

- Trolley and lid locking system available for this

- Dim.(60L/qts): W.340 x H.580 x D.470 mm

- Dim.(80L/qts): W.340 x H.760 x D.470 mm

Waste sorting bin

60 L/QT

REF 8 99 1097

without lid

UL1:1

60 I/qt recycling bin

by batch

PRODUCT 🕂 'S

Ð

0 | | | | |

FEATURES

80 L/QT

+

- Materials: polypropylene - Capacities: 60 x 80 L/qts

range of waste sorting bins

- Trolley: W.480 x H.15 x D.355 mm

SECURED LOCK SYSTEM FOR 60 AND 80 L/QT RECYCLING BIN

KITCHEN BIN

CONTAINER



		White container			
		90 L/QT UL ¹ : 1	70 L/QT UL ¹ : 1	45 L/QT UL ¹ : 1	
White lid	\bigcirc	REF 8 99 618	REF 8 99 1092	REF 8 99 739	
Blue lid	•	REF 8 99 743	REF 8 99 1090	REF 8 99 740	
Yellow lid	•	REF 8 99 744	REF 8 99 1094	REF 8 99 741	
Green lid	•	REF 8 99 745	REF 8 99 1091	REF 8 99 742	
Red lid	•	REF 8 99 777	REF 8 99 1093	REF 8 99 779	

BAG HOLDER WITH PEDAL

REF 8 99 882

Stainless steel

bag holder 18/0 UL¹: 1

+ REF 8 99 1075

Stainless steel

bag holder 304

UL¹: 1



1 Logistics unit (number of items per package)

P50

JVD HYGIENE



	30, 45, 70, 90 LITERS/QUARTS		
	PRODUCT ➡ 'S		
	6 waste sorting stickers included		
	$ \underbrace{\overset{\forall}{=}}_{\square} \qquad \begin{array}{c} \text{Multiple combinations:} \\ \text{lids exist in} \\ & \bullet & \bullet \\ & \bullet & \bullet \\ & \bullet & \bullet \\ & \bullet & \bullet$		
30 L/QT UL ¹ : 1 REF 8 99 748 REF 8 99 750 REF 8 99 751 REF 8 99 752 REF 8 99 778	 FEATURES Adde of polypropylene (for intensive use) Automatic lid closure for fire resistance On he 90 L model, a ring in front of the pedal einforces the stability Wheels (90 L/qt model only) Dim.(30 L/qt): W.400 x H.435 x D.410 mm Dim.(70 L/qt): W410 x H.675x D.500 mm Dim.(90 L/qt): W410 x H.820 x D.500 mm 		
	110 L/QT		
	PRODUCT S - Silent pedal - Rugged: 304 stainless steel - 2 wheels at the rear for easy mobility, with brake system FEATURES - Comes in kit: ready for assembly - Made of stainless steel (18/0 or 304) and rubber		

- Reinforced stability with 4 feet
- Assisted opening and closing
- Holds the bag in place by elastic rubber band
- Chrome finish
- Dim. : W.550 x H.940 x D.425 mm







ASHTRAYS



D ANTI-

VANDALISM

Equipped with a lock

to prevent vandalism.



RUGGED Thick walls.

T

OUTDOOR USE Protected for outdoor use

ASHTRAY FORMATS



Wall mounted ashtrays are designed to be fixed to a wall. Made of painted steel or in stainless steel, they are very discreet and can be installed nearly everywhere thanks to their discreet size.



Totem ashtrays are placed directly on the ground, and may be anchored or not. Whether painted steel or stainless steel, their finesse brings a touch of elegance to smoking areas.



Ashtrays with containers save space by improving the cleanliness of your exterior areas. They allow employees and visitors to dispose of waste such as cups and various packaging.





UV RESISTANT Treated against UV.



COMPLETE Supplied with wall or floor mounting kit.



PRACTICAL Easy to empty; no internal containers.



FRENCH DECREE 2015-337

In Paris as in all other cities of France, cleanliness has become a priority. This, offenders of cleanliness on public roads can be fined 188 on the spot.

Establishments receiving the public are thus required to have solutions installed: ashtrays, bins or combined units as part of this policy.

Moreover, regulations covering terraces has become tougher and many terrace charters have been put in place or updated to oblige owners to provide ashtrays.



ASHTRAYS

WALL ASHTRAY





REF 8 99 501 RFF 8 99 502 Rectangular wall Rectangular wall ashtray 1.5 L/qt ashtray 3 L/qt UL1:6 UI 1:6

REF 8 99 1170 Wall ashtray 3 L/qt + integrated 14 L/qt collector UI 1-1





ANTI-VANDALISM SYSTEM KEY LOCKING SYSTEM

TOTEM WALL



PRACTICAL EASY TO EMPTY

REF 8 99 1452 Rectangular wall

ashtray Slim 3 L/qt UL1:6

READY TO USE FIXING KIT INCLUDED

8 99 1451:

PRODUCT + 'S

- Designed for outdoor use - Rain protection
- Quick and easy to empty - Smooth surface for easy cleaning

FEATURES

- Galvanized steel and epoxy exterior for better corrosion resistance - UV-treated coating - Scratch resistant grained surface - Inner zinc tray facilitates extinction of the cigarette butt

- Stainless steel stubbing surface - Key locking system

- Fixing kit included Dimensions & Capacities:

- 1.5 L/gt (150 cigarette butts - 0.5 L/gt) - W.150 x H.255 x D.60 mm - 3 L/qt (150 cigarette butts - 0.5 L/qt) - W.191 x H.355 x D.60 mm - 3 L/qt (900 cigarette butts) + Collector:

- W.300 x H.670 x D.140 mm - 3 L/qt (900 cigarette butts) - W.100 x H.500 x D.64 mm

- W.250 x H.990 x D.200 mm

PRODUCT 🛨 'S - Designed for protected

outdoor space - Aesthetic with brushed or

- polished finish
- Quick and easy to install - Fire resistant

FEATURES

Material:

- Brushed aluminum: 8 99 987. 8 99 1000 - polished stainless steel finish 8 99 1002, 8 99 1076 - Key locking system - Fixing kit included

Dimensions & Capacities:

8 99 1002: - Ashtray 1.8 L/qt (540 cigarette butts) - Ø.76 x H.460 mm

- 8 99 1076: - Ashtray 1.7 L/qt (510 cigarette butts) - Ø.76 x H.460 mm
- 8 99 987: - Ashtray 2.4 L/qt (720 cigarette butts)
- Ø.80 x H.480 mm 8 99 1000:
- Ashtray 3.4 L/qt (1020 cigarette butts) - Ø.80 x H.680 mm

ASHTRAYS

ASHTRAY WITH CONTAINER



ASHTRAY WITH CONTAINER





REF 8 99 1171 3.3 L/gt ashtray and

UI ^{1,} 1

REF 8 99 1008 2.3 L/qt ashtray and 20 L container

P54 **JVD** HYGIENE







REF 8 99 615 2 L/qt ashtray and 8 L/qt container UL1:1



PRACTICAL GALVANIZED INSIDE CONTAINER. ROBUST AND EASY TO EMPT

PRODUCT 🛨 'S

- Designed for outdoor use
- Protected against the elements
- Quick and easy to empty

FEATURES

- Materials: galvanized steel (protects against rust
- and corrosion)
- UV-treated coating
- Inner zinc tray facilitates extinction of the cigarette butt
- Stainless steel stubbing surface
- Ground anchoring possible
- Key locking system
- Ground-fixing kit included
- Color: charcoal grey

Dimensions & Capacities:

8 99 1062

- 3 L/qt ashtray (900 cigarette butts) and 29 L/qt container
- W.300 x H.900 x D.250 mm

8 99 1082:

- 4.7 L/qt ashtray (1400 cigarette butts) and 48 L/ qt container
- W.480 x H.990 x D.250 mm
- 8 99 615:
- 2 L/qt ashtray (600 cigarette butts) and 8 L/qt
- container - W.400 x H.1040 x D.260 mm



REF 8 99 1172 5.9 L/gt ashtray and 431 container



PRACTICAL GALVANIZED INSIDE CONTAINER, ROBUST AND EASY TO EMPTY

PRODUCT 🛨 'S

- Designed for outdoor use
- Protected against the elements
- Quick and easy to empty
- Easy to maintain smooth surfaces

FEATURES

- Materials: galvanized steel (protects against rust and corrosion) UV-treated coating

- Key locking system
- Ground-fixing kit included - Color: charcoal grey

Dimensions & Capacities:

8 99 1008:

- 2.3 L/qt ashtray (690 cigarette butts) and 20 L/qt container
- W.330 x H.895 x D.280 mm

8 99 1171:

- 3.3 L/qt ashtray (1000 cigarette butts) and 24 L/gt container
- W.300 x H.960 x D.250 mm
- 8 99 1172:
- 5.9 L/gt ashtray (1800 cigarette butts) and
- 431/ot container
- -W.480 x H.960 x D.250 mm



ASHTRAYS

TOTEM RECTANGULAR



TOTEM ARM



PRODUCT + 'S

- Designed for outdoor use
- Rain protection
- Quick and easy to empty - Smooth surface for easy cleaning

FEATURES

- Inner zinc tray facilitates extinction of the cigarette butt

- Stainless steel stubbing surface (2 openings) - Galvanized steel and epoxy exterior for better corrosion resistance - UV-treated coating Key locking system - Ground-fixing kit included (screws)
- Weighted base for stability (7.4 kg 16.4 lbs) Dimensions & Capacities:
- 2.5 L/qt (3750 cigarette butts) W.400 x H.1040 x D.400 mm

RUGGED

PRODUCT 🛨 'S

- Designed for outdoor use - Fully galvanized, weather and UV
- resistant - Fast and easy to empty
- (tray accessible from above)

FEATURES

- Inner zinc tray facilitates extinction of the cigarette butt - Stainless steel stubbing surface (4 openings)

- Galvanized steel and epoxy exterior for better corrosion resistance - UV-treated coating - Ground-fixing kit included (screws) - Weighted base for stability (7.4 kg 16.4 lbs) Dimensions & Capacities: - 3 L/qt (900 cigarette butts) -Ø300 x H1050 mm

TOTEM TUBULAR STAINLESS STEEL



PRODUCT + 'S

- Designed for outdoor use

- Aesthetic with brushed or polished finish
- Ground anchoring possible

FEATURES

Colors and materials:

- Brushed aluminum: 8991001 Polished 304 stainless steel: 8991079, 8991003

- Ground-fixing kit included (screws) Dimensions & Capacities:
- 8 99 1001:
- 4.5 L/qt (1350 cigarette butts) Ø.80 x H.900 mm - 8 99 1079:
- 1.4 L/qt (320 cigarette butts) Ø.76 x H.900 mm - 8 99 1003:
- 1.1 L/qt (330 cigarette butts) Ø.76 x H.900 mm

P56





INSECT TRAPS

INSECT TRAPS





INDUSTRIE PRO IP54



+ REF 2 20 0340 40 W shatterproof tube UL1:1



INDUSTRIE



REF 8 55 837	REF 8 55 837 TAE	REF 8 55 838	REF 8 55 838 TAE	REF 8 55 839
Industrial insect trap 40 W UL ¹ : 1	Industrial insect trap 40 W shatterproof tubes UL ¹ : 1	Industrial insect trap 80 W UL ¹ : 1	Industrial insect trap 80 W shatterproof tubes UL ¹ : 1	Industrial glue insect trap 80 \ UL ¹ : 1

+ REF 2 20 0338	REF 2 20 0089	REF 2 20 0339	REF 2 20 0340
20 W tube (for 855837) UL ¹ : 1	20 W tube shatterproof (for 855837) UL ¹ : 1	40 W tube (for 855838) UL ¹ : 1	40 W tube shatterproof (for 855838) UL ¹ : 1



REF 8 88 840 Glue sheets (pack of 6 sheets) 175 x 610 mm (6.9 x 24 inches)

WHAT ARE IP54 RATING **DEVICES?**

IP54 units are suitable for very humid environments . They are protected against water splashes.

WHAT ARE SHATTERPROOF TUBES?

Unlike standard tubes, the shatterproof tubes are covered with a protective film the prevents shattering of glass in the event of an impact. Shatterproof tubes are especially recommended for the food industry.

GLUE OR ELECTRIC GRID?

Electric grid insect traps are non-polluting (no chemicals, no odor). They are safe (the high voltage grid is always protected). They require emptying the recovery pan.

Glue insect traps are non-polluting (no chemicals, no odor). They are safe. They do not cause any sizzling or spattering of insect residues. They are perfectly adapted to places subject to high hygienic restrictions. They simply require to regularly change the sticky sheets.

WHAT POWER FOR WHAT SURFACE?

20 W 50 m² 30 W

200 m²		80 W	
--------	--	------	--

	80 m²
nat	00 m
ly	190 -

200 m²	80

200 m²	•	80

120 m² 🖕 40 W

200 m ² •	80
----------------------	----

P58		
J	VD	HYGIENE

For premises where food is prepared and where

food is delivered to the consumer: Article 3 of

the decree of May 28, 1997 and Article 3 of the

decree of May 9, 1995 specify that premises

must be exempt of any risk of contamination

and define obligations to protect against the

An insect trap is a luminous electrical device

that attracts flying insects by Ultra-Violet-A

eliminates them, either by electrification, by

Insect traps are designed to attract and kill flying

also gnats, wasps, hornets, gadflies and others.

insects: in particular flies and mosquitoes, but

WHERE SHOULD THE INSECT

For optimum performance, the insect trap

sheltered from drafts and at a height (fixed or

should be placed in a warm, dark place,

TRAP BE INSTALLED?

radiation (harmless to humans); it then


presence of insect pests. "

OPERATION

glueing or by suction.

suspended).

WHAT INSECTS?





39 REF 8 55 839 TA	E
e Industrial glue 0 W insect trap 80 W shatterproof tubes UL ¹ : 1	

REF 2 20 0339 40 W tube (for 855839)

UI 1:1

REF 2 20 0340 40 W tube shatterproof (for 855839) UI 1:1



PRACTICAL OPENING MECHANISM FOR EASY CLEANING

1 Logistics unit (number of items per package)

PRODUCT 🛨 'S


- Robust design
- Powers: 2 x 20 W or 2 x 40 W
- Can be suspended or fixed to the wall
- Very large insect control area
- Glue version available (only 80 W)
- Automatic power-off when the grid is opened

FEATURES

- Power supply: 230 V / 50 Hz
- Grid voltage and current: 3700 V / 9 mA
- Rated power: 60/100 W max
- 304 L stainless steel
- Class I
- IP20
- 2 tubes per device
- 2-year warranty
- Dim. : W.617 x H.280 x D.110 mm

STANDARD RANGE INSECT TRAPS

STANDARD



	- 3 wattages:
	2 x 15 W
D	2 x 20 W

2 x 40 W - To be suspended - ON/OFF switch


FEATURES

PRODUCT 🛨 'S

- Power supply: 230 V/50 Hz - Grid voltage and current: 3800 V/10 mA - Power cord with plug (95 cm - 3 feet) - Class I - IP20 - 2 tubes per device - 2-year warranty - Dim. : W.660 x H.365 x D.70 mm

REF 8 55 625 Standard insect trap 30 W UL ¹ : 3	REF 8 55 626 Standard insect trap 30 W shatterproof tubes UL ¹ : 3	REF 8 55 627 Standard insect trap 40 W UL ¹ : 2	REF 8 55 628 Standard insect trap 40 W shatterproof tubes UL ¹ : 2	REF 8 55 629 Standard insect trap 80 W UL ¹ : 2	REF 8 55 630 Standard insect trap 80 W shatterproof tubes UL ¹ : 2
+ REF 2200639 15 W tube (for 855625) UL ¹ : 1	REF 2 20 0781 15 W tube shatterproof (for 855626) UL ¹ : 1	REF 2 20 0338 20 W tube (for 855627) UL ¹ : 1	REF 2 20 0089 20 W tube shatterproof (for 855628) UL ¹ : 1	REF 2 20 0339 40 W tube (for 855629) UL ¹ : 1	REF 2 20 0340 40 W tube shatterproof (for 855630) UL ¹ : 1

À GLUE 30 W



INDICATION OF PROTECTED AREA 30 W = 80 m ²		
REF 8 55 524 Glue sheet insect trap UL ¹ : 3	REF 8 55 594 Glue sheet insect trap with shatterproof tubes UL ¹ : 3	REF 8 88 525 Glue sheets (pack of 10 sheets) 460 x 295 mm (18 x 11.5 inches) UL ¹ : 1

REF 2 20 0639	REF 2 20 0781
15 W tube	15 W shatterproof
(for 855524)	tube
UL1:1	(for 855594)
	UI 1:1

+

PRODUCT 🛨 'S


- Power: 30 W
- Can be placed on a surface or fixed to a wall
- Small footprint for better mobility

FEATURES

- Power supply: 230 V/50 Hz - Fuse accessible from the outside - White lacquered steel - Power cord with plug (1.80 m) - Class I - IP20 - 2 tubes per device - 2-year warranty - Dim. : W.465 x H.285 x D.95 mm

COMPACT RANGE **INSECT TRAPS**

DÉCO GLUE 20 W







REF 8 55 1328 Compact insect killer II red 20 W UL1: 6

REF 8 55 1327 Compact insect killer II black 20 W UL1: 6

Compact insect kill white 20 W UL1: 6 + REF 2 20 1887 E14 tube light bulb

UL1:1

REF 8 55 1326

DESINSECTIVOR 30 W



REF 8 55 1361 Desinsectivor (2 speed) UL1: 3



INNOVATION NO GLUE OR ELECTRIC O THE DESINSECTIVOR SUC INSECTS INTO ITS TR

COMMERCE 30 W



+ REF 5 20 0337 15 W tube (for 855078) UI¹:1



INDICATION OF PROTECTED AREA 20 W = 50 m ²	 PRODUCT • s Professional model Cost effective Can be suspended, placed on a surface or fixed to a wall FEATURES
t	 Power supply: 230 V/50 Hz Power cord with plug (1.40 m 4.5 feet) Class I IP20 HACCP food industry standards Easy change bulb 1 20 W bulb 2-year warranty Dim. : W.165 x H.265 x D.113 mm
INDICATION OF PROTECTED AREA 20 W = 60 m ²	 PRODUCT : s Small area model Decorative design Can be suspended, placed on a surface or fixed to a wall PEATURES Power supply: 230 V/50 Hz Grid voltage and current: 3000 V/5 mA Black, white or red lacquered steel Power cord with plug (1 m - 3.3 feet) Class I IP20 120 W bulb 2year warranty Dim.: W.160 x H.270 x D.130 mm
INDICATION OF PROTECTED AREA 30 W = 40 m ²	PRODUCT : s - Hygienic No insect projection - Ecological: No chemicals FEATURES - Power supply: 230 V/50 Hz - Plastic enclosure - Class I IP20 - 1 30 W tube - 2-year warranty - Dim. : W.245 x H.340 x D.220 mm
INDICATION OF PROTECTED AREA 30 W = 80 m ²	PRODUCT • S - Cost effective FEATURES

FEATURES

- Power supply: 230 V/50 Hz
- Plastic enclosure
- Class I IP20
- 2 15 W tubes
- 2-year warranty
- Dim. : W. 350 x H.230 x D.150mm

JVD,

SPARE PARTS

AIRWAVE

REF.	DESIGNATION
2 20 1219	Card

EXP'AIR / STELL'AIR / SUP'AIR COPT'AIŔ

REF.	DESIGNATION
5 20 2238	Motor
2 20 1519	Card for EXP'AIR
2 20 1672	Card for STELL'AIR
2 20 1693	Card for SUP'AIR / COPT'AIR
5 10 1321	Container and lid for EXP'AIR
5 90 2014	Copper filter for EXP'AIR / STELL'AIR
5 90 1501	Compact copper filter - before 2013
2 90 1494	Bottle brush
2 10 1326	Кеу

SWEEPER I / ALPHADRY

REF.	DESIGNATION	
2 20 1218	Card	
5 10 2010	HFPA filter	

HURRICANE

REF.	DESIGNATION
2 20 0824	Motor
2 20 0825	Heating element
2 20 0826	Automatic card
2 20 0827	Manual card

HURRICANE

REF.	DESIGNATION
2 20 1552	Motor
2 20 1211	Heating element
2 20 1210	Card - chromed power adapter
2 20 1644	Card - black power adapter
2 20 1821	Infra red cell - chromed power inverter
2 20 2105	Infra red cell - black power inverter

MASTER / TORNADE / RAFALE / DRAGON

REF.	DESIGNATION
2 20 0387	Timer card 45s / 135s
5 20 0418	Card for RAFALE / MASTER + grid
5 20 0564	Card for TORNADE + standard black grid
5 20 0565	Card for TORNADE + composite grey grid
2 20 1568	2400W heating element
2 20 1569	1900W heating element DRAGON

ZEPHYR / AUSTRAL

REF.	DESIGNATION
2 20 0471	Motor
2 20 1395	Heating element
5 20 0417	Card

TOILET BRUSH

REF.	DESIGNATION
2 10 1436	Black brush + Black shaft for brush ref. 899796
2 10 1817	Black brush + Stainless steel shaft for brush ref. 8991063
2 10 2015	Black brush
2 10 1799	White brush

SOAP DISPENSERS

REF.	DESIGNATION
2 10 1125	Pump for CRYSTAL / RUBIS / DIAMANT / CLEANSEAT
2 90 0563	Pump for SAVINOX
5 10 1034	Pump for CLEANLINE Gel
2 10 0922	Pump for CLEANLINE Foam
2 10 0411	Key for CRYSTAL
2 10 1226	Key for RUBIS
2 10 0915	Key for CLEANLINE
2 90 1541	Key for SAVINOX
2 10 2086	Key for SAPHIR
	COLUCIOS

PAPER DISPENSERS

REF.	DESIGNATION
2 10 1412	Tube holder dia = 50mm JUMBO 400 CLEANLINE
2 10 1439	Tube holder dia = 60mm JUMBO 400 CLEANLINE
2 10 1697	Fixed key for CLEANLINE / YALISS range
2 90 1035	Key for metal range
2 10 0915	Key for CLEANLINE / YALISS range
2 10 1513	Key for CLEANTECH

ASHTRAYS

REF.	DESIGNATION
2 90 0290	Inner container for rectangular totem ref. 899503
2 90 2074	Inner container for 1.5 L/qt wall ashtray ref. 899501
2 90 2075	Inner container for 3 L/qt wall ashtray ref. 899502
2 90 2111	Inner container for tubular totem ref. 899616
2 90 1209	Ashtray key - all models

CONTAINERS / COLLECTORS

REF.	DESIGNATION
2 10 1378	Pedal for 70L/qt and 90L/qt container
2 10 1314	Rear column for 90L/qt container
2 10 2127	Rear column for 70L/qt container
2 10 1379	Pedal for 30L/qt and 45L/qt container
2 10 1315	Rear column for 45L/qt container
2 10 1654	Rear column for 30L/qt container
2 10 1619	Elastic band for bag holder, ref. 899882 and 8991075
2 10 1733	Rubber band for bag holder, ref. 899882 and 8991075

INSECT TRAPS

REF.	DESIGNATION
2 20 0333	Tube 18-20W L = 588mm Dia = 26mm F18W / T8 / 24 " / BL368
5 20 0334	U-tube 20W L = 188mm Dia = 26mm LP308 / 190
2 20 0347	Ballast 36-40W L = 120mm
2 20 0348	Ballast 80W L = 195mm
2 20 0341	Starter for 855073
2 20 0342	Starter 4-22W or 4-40W
2 20 1142	Transfo for 8 55 625/627/629
2 20 0343	Transfo for 8 55 073
2 20 0674	Transfo for 8 55 078
2 20 0675	Transfo for 8 55 161 / 8 55 162
2 20 2046	Transfo for 8 55 837 / 838 / 839 and 8 55 1174
8 88 127	Pack of 10 glue sheets 345x235
8 88 1214	Pack of 6 glue sheets for wall unit









JVD HYGIENE **P63**

JVD sas

3 rue des Brèches 44406 REZÉ CEDEX (France) Tél. 02 40 75 98 20 Fax 02 40 75 01 23 jvd.fr

Sales, France Tél. 02 40 75 97 80 jvdfrance@jvd.fr

Sales, Export

Tél. 02 40 75 99 76/77 Fax 02 40 75 56 70/76 jvdexport@jvd.fr

After sales service Tél. 02.40.75.96.30

sav@jvd.fr

JVD Asia

56 Loyang Way #06-04 - Loyang Enterprise Building -SINGAPORE 508775 Tel. 65-6214 8550 Fax 65-6542 7533 jvd.com.sg jvdasia@singnet.com.sg

JVD España

c/juan de herrera,14 Elche parque industrial 03203 ELCHE (Alicante) España Tel. 34 965 677 777 Fax 34 965 663 721 jvd.es

JVD Americas

Conjunto quadrum Acceso No.3 No.16A Int.15A, Qro. Parque Industrial Benito Juaréz. C.P. 76120 Santiago de Querétaro México Tel : + 52(442) 161 2595 JVD

THE FRENCH TOUCH

Your distributor's stamp