

## Table of contents



|                                  |    |                               |    |
|----------------------------------|----|-------------------------------|----|
| About us                         | 05 | Compact 900 line              | 75 |
| 700 series                       | 06 | Gas cookers                   | 76 |
| Gas cookers                      | 06 | Convection ovens              | 78 |
| Gas cookers with oven            | 08 | Ovens                         | 80 |
| Electric cookers                 | 12 | Accessories                   | 80 |
| Electric cookers with oven       | 14 | Bases                         | 81 |
| Induction/ceramic cookers        | 18 | Freestanding appliances       | 82 |
| Cookers with hotplate            | 21 | Combination oven              | 83 |
| Gas fryers                       | 22 | Electric boiling pans         | 84 |
| Electric fryers                  | 24 | Induction bratt pan           | 84 |
| French fry warmers               | 26 | Tilting bratt pans            | 85 |
| Pasta and dumpling cookers       | 28 | Stools                        | 88 |
| Bain-maries                      | 28 | Heating bain-maries           | 90 |
| Gas grill plates                 | 30 | Refrigerated bases            | 91 |
| Electric grill plates            | 32 | Fast Food line                | 93 |
| Barbecue grills                  | 34 | Stainless steel roller grills | 94 |
| Boiling pans                     | 36 | Teflon roller grills          | 96 |
| Tilting bratt pans               | 38 | Salamander                    | 97 |
| Neutral elements                 | 40 | Hot plate                     | 97 |
| Open bases                       | 41 | Contact grill                 | 97 |
| Cabinet bases                    | 42 | Sales department              | 99 |
| Doors                            | 43 |                               |    |
| Drawers                          | 43 |                               |    |
| Accessories                      | 44 |                               |    |
| Compact 700 line                 | 46 |                               |    |
| Gas cookers                      | 48 |                               |    |
| Gas cookers with oven            | 50 |                               |    |
| Electric cookers                 | 52 |                               |    |
| Induction cookers                | 55 |                               |    |
| Fryers                           | 55 |                               |    |
| 900 line                         | 57 |                               |    |
| Gas cookers                      | 59 |                               |    |
| Gas / electric cookers with oven | 61 |                               |    |
| Electric cookers                 | 62 |                               |    |
| Induction cookers                | 64 |                               |    |
| Fryers                           | 65 |                               |    |
| Boiling pans                     | 66 |                               |    |
| Tilting bratt pans               | 71 |                               |    |
| Open bases                       | 73 |                               |    |
| Cabinet bases                    | 73 |                               |    |
| Doors                            | 73 |                               |    |



## 65 years of experience

Kromet is a manufacturer of catering equipment and kitchen appliances of the highest quality!

Many years of activity, experience, new designs and manufacturing technologies ensure that we are gaining more and more customers. All products offered by the company are made of certified stainless steel, in accordance with the requirements of European Union directives, and have the CE and GOST marks, and for those devices - where necessary - also certificates from the Oil and Gas Institute, the Technical Inspection Authority and the State Food Institute. The high quality of our products is also ensured by the control system that has been in place in the company for many years. Our products have won numerous awards at national and international trade fairs.




Prestigious award:  
**European Medal 2015 for monoblock**

## VISION

We want to be a role model for others and create the latest trends in the industry.

Our vision is to introduce innovative, even more durable solutions, and to continuously improve and expand the range of products we offer.



## MISSION

To provide all our customers with a wide range of products of the highest quality,

with improved performance and energy efficiency, as well as the ability to maintain high hygiene standards. We work to ensure the best cooking results

**Kromet®**



Line  
**700**

# 700 SERIES

## GAS COOKERS

'Antikap' system ensuring clean knobs.



Perfectly matched burner positions and power.



1.5 mm thick stainless steel top plate



Maximised burner efficiency and reduced energy loss.



Powerful double crown burners - 7.5 kW



Large ergonomic knobs with safety ring



Reduction plate for WOK pan grate



### Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1



000.NGR-1



700.WOK-1

# 700 SERIES


## GAS COOKERS



700.KG-2

2-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW



700.KG-2.T



700.KG-2.S



700.KG-2.S.D


| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 700.KG-2     | 400x700x280     | 2       | 12 kW      | € 1 245   |
| 700.KG-2.T   | 400x700x900     | 2       | 12 kW      | € 1 620   |
| 700.KG-2.S   | 400x700x900     | 2       | 12 kW      | € 1 620   |
| 700.KG-2.S.D | 400x700x900     | 2       | 12 kW      | € 1 735   |



700.KG-4

4-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW



700.KG-4.T



700.KG-4.S



700.KG-4.S.D


| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 700.KG-4     | 800x700x280     | 4       | 24 kW      | € 2 030   |
| 700.KG-4.T   | 800x700x900     | 4       | 24 kW      | € 2 455   |
| 700.KG-4.S   | 800x700x900     | 4       | 24 kW      | € 2 495   |
| 700.KG-4.S.D | 800x700x900     | 4       | 24 kW      | € 2 725   |



700.KG-6

6-burner gas boiling top on open base

Ø 128 mm / 7,5 kW



Ø 104 mm / 4,5 kW



700.KG-6.T



700.KG-6.S




700.KG-6.S.D

| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 700.KG-6     | 1200x700x280    | 6       | 36 kW      | € 2 820   |
| 700.KG-6.T   | 1200x700x900    | 6       | 36 kW      | € 3 295   |
| 700.KG-6.S   | 1200x700x900    | 6       | 36 kW      | € 3 295   |
| 700.KG-6.S.D | 1200x700x900    | 6       | 36 kW      | € 3 555   |

# 700 SERIES

## GAS COOKERS with OVEN



Thermally insulated doors ensure perfectly even baking



Accurate sensor inside the chamber




Cool-touch handle for comfortable use



### Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1



000.NGR-1



700.WOK-1

\* at extra charge

\*\*Can be changed to glass doors at extra charge.


# LINE 700

## GAS COOKERS with OVEN



700.KG-4/PE-1

### Gas cooker with electric oven




| Model         | Dimensions (mm) | Burners | Power (kW) | Net price |
|---------------|-----------------|---------|------------|-----------|
| 700.KG-4/PE-1 | 800x700x900     | 4       | 24 kW      | € 4 040   |

Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1



700.KG-4/PE-2

### Gas cooker with electric oven




| Model         | Dimensions (mm) | Burners | Power (kW) | Net price |
|---------------|-----------------|---------|------------|-----------|
| 700.KG-4/PE-2 | 800x700x900     | 4       | 24 kW      | € 4 285   |

Electric oven  
Power: 6.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1



700.KG-6/PE-2/SD

### Gas cooker with electric oven on cabinet with doors



| Model            | Dimensions (mm) | Burners | Power (kW) | Net price |
|------------------|-----------------|---------|------------|-----------|
| 700.KG-6/PE-2/SD | 1200x700x900    | 6       | 36 kW      | € 5 565   |

Electric oven  
Power: 6.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1


# 700 LINE

## GAS COOKERS with OVEN



700.KG-6/PE-3

### Gas cooker with electric oven, module 3xGN 1/1




| Model         | Dimensions (mm) | Burners | Power (kW) | Net price |
|---------------|-----------------|---------|------------|-----------|
| 700.KG-6/PE-3 | 1200x700x900    | 6       | 36 kW      | € 6 285   |

Electric oven  
Power: 8.4 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 1080 x 560 x 360 mm  
GN: 3 x GN 1/1



700.KG-4/PE-1T

### Gas cooker with electric oven with convection




| Model          | Dimensions (mm) | Burners | Power (kW) | Net price |
|----------------|-----------------|---------|------------|-----------|
| 700.KG-4/PE-1T | 800x700x900     | 4       | 24 kW      | € 4 385   |

Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 300°C  
Fan: Yes  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1



700.KG-6/PE-1T/SD

### Gas cooker with electric oven with convection



| Model             | Dimensions (mm) | Burners | Power (kW) | Net price |
|-------------------|-----------------|---------|------------|-----------|
| 700.KG-6/PE-1T/SD | 1200x700x900    | 6       | 36 kW      | € 5 670   |

Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 300°C  
Fan: Yes  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1


# LINE 700

## GAS COOKERS WITH OVEN



700.KG-4/PG-1

### Gas cooker with gas oven




| Model         | Dimensions (mm) | Burners | Power (kW) | Net price |
|---------------|-----------------|---------|------------|-----------|
| 700.KG-4/PG-1 | 800x700x900     | 4       | 24 kW      | € 4 030   |

Gas oven  
Power: 4.5 kW  
Oven temperature range: 150° - 300°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1



700.KG-4/PG-2

### Gas cooker with gas oven




| Model         | Dimensions (mm) | Burners | Power (kW) | Net price |
|---------------|-----------------|---------|------------|-----------|
| 700.KG-4/PG-2 | 800x700x900     | 4       | 24 kW      | € 4 385   |

Gas oven  
Power: 5.5 kW  
Oven temperature range: 150° - 300°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1



700.KG-6/PG-2/SD

### Gas cooker with gas oven on cabinet with doors




| Model            | Dimensions (mm) | Burners | Power (kW) | Net price |
|------------------|-----------------|---------|------------|-----------|
| 700.KG-6/PG-2/SD | 1200x700x900    | 6       | 36 kW      | € 5 670   |

Gas oven  
Power: 5.5 kW  
Oven temperature range: 150° - 300°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1

# 700 SERIES

## ELECTRIC COOKERS



Six-step power adjustment



Front profiling for clean knobs

### Accessories

- Reduction cover



# LINE 700


## ELECTRIC COOKERS



700.KE-2

### Electric cooker, 2 round hotplates

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

| Model        | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|--------------|-----------------|----------------|------------|-----------|
| 700.KE-2     | 400x700x280     | 2              | 5,2 kW     | € 975     |
| 700.KE-2.T   | 400x700x900     | 2              | 5,2 kW     | € 1 350   |
| 700.KE-2.S   | 400x700x900     | 2              | 5,2 kW     | € 1 350   |
| 700.KE-2.S.D | 400x700x900     | 2              | 5,2 kW     | € 1 465   |



700.KE-2.T



700.KE-2.S




700.KE-2.S.D



700.KE-4

### Electric cooker, 4 round hotplates

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

| Model        | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|--------------|-----------------|----------------|------------|-----------|
| 700.KE-4     | 800x700x280     | 4              | 10,4 kW    | € 1 490   |
| 700.KE-4.T   | 800x700x900     | 4              | 10,4 kW    | € 1 915   |
| 700.KE-4.S   | 800x700x900     | 4              | 10,4 kW    | € 1 955   |
| 700.KE-4.S.D | 800x700x900     | 4              | 10,4 kW    | € 2 185   |



700.KE-4.T



700.KE-4.S




700.KE-4.S.D



700.KE-6

### Electric cooker, 6 round hotplates

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

| Model        | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|--------------|-----------------|----------------|------------|-----------|
| 700.KE-6     | 1200x700x280    | 6              | 15,6 kW    | € 1 950   |
| 700.KE-6.T   | 1200x700x900    | 6              | 15,6 kW    | € 2 425   |
| 700.KE-6.S   | 1200x700x900    | 6              | 15,6 kW    | € 2 425   |
| 700.KE-6.S.D | 1200x700x900    | 6              | 15,6 kW    | € 2 685   |



700.KG-6.T




700.KG-6.S



700.KG-6.S.D

# 700 SERIES

## ELECTRIC COOKERS WITH OVEN



Thermally insulated door ensures perfectly even baking



Accurate sensor inside the chamber



Cool-touch handle for comfortable use

### Accessories

- Reduction cover



700.NES-2

Glass doors available at extra charge.

# LINE 700


## ELECTRIC COOKERS WITH OVEN



700.KE-4/PE-1

\w+-\$

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

| Model         | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|---------------|-----------------|----------------|------------|-----------|
| 700.KE-4/PE-1 | 800x700x900     | 4              | 10,4 kW    | € 3 520   |


Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1



700.KE-4/PE-2

### Electric cooker with electric oven

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

| Model         | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|---------------|-----------------|----------------|------------|-----------|
| 700.KE-4/PE-2 | 800x700x900     | 4              | 10,4 kW    | € 3 795   |


Electric oven  
Power: 6.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1



700.KE-6/PE-2/SD

### Electric cooker with electric oven on cabinet with door

Ø 220 mm / 2.6 kW



Ø 220 mm / 2.6 kW

| Model            | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|------------------|-----------------|----------------|------------|-----------|
| 700.KE-6/PE-2/SD | 1200x700x900    | 6              | 15,6 kW    | € 4 745   |

Electric oven  
Power: 6.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1


# 700 SERIES

## ELECTRIC HOBS WITH OVEN



700.KE-6/PE-1T/SD

Electric cooker  
with electric oven  
with convection




| Model             | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|-------------------|-----------------|----------------|------------|-----------|
| 700.KE-6/PE-1T/SD | 1200x700x900    | 6              | 15,6 kW    | € 4 825   |

Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 300°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1



700.KE-6/PE-3

Electric hob with  
electric oven, module  
3xGN 1/1




| Model         | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|---------------|-----------------|----------------|------------|-----------|
| 700.KE-6/PE-3 | 1200x700x900    | 6              | 15,6 kW    | € 5 745   |

Electric oven  
Power: 8.4 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 1080 x 560 x 360 mm  
GN: 3 x GN 1/1



700.KE-4C/PE-1

Electric ceramic hob with  
electric oven




| Model          | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|----------------|-----------------|---------------|------------|-----------|
| 700.KE-4C/PE-1 | 800x700x900     | 4             | 12,1 kW    | € 5 899   |

Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1



700.KE-4C/PE-2

### Electric ceramic cooker with electric oven




| Model          | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|----------------|-----------------|---------------|------------|-----------|
| 700.KE-4C/PE-2 | 800x700x900     | 4             | 12,1 kW    | € 6 155   |

Electric oven  
Power: 6.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1



700.KE-4/PE-1T

### Electric cooker with electric oven with convection heating



| Model          | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|----------------|-----------------|---------------|------------|-----------|
| 700.KE-4/PE-1T | 800x700x900     | 4             | 10,4 kW    | € 3 850   |

Electric oven  
Power: 3.5 kW  
Heating: top, bottom, top/bottom  
Fan: Yes  
Temperature range: 50° - 300°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: GN 1/1

# 700 SERIES

INDUCTION / CERAMIC HOBS

Energy savings of up to 50%

Efficiency of up to 90%

Heating zones with  
power up to 4 kW

SaveEnergy - no heat  
loss during cooking




Quick Reaction system - The hob  
reacts instantly to changes  
in temperature on the knob

SaveHands - No risk of  
burns



## Ceramic version

- Smooth surface
- Easy cleaning
- Pot presence control



Illustrative photo. Visualisation of induction heating

# 700 SERIES


## INDUCTION / CERAMIC COOKERS



700.KE-2i

### 2-burner induction hob

Ø 220 mm / 3,5 kW



Ø 220 mm / 3,5 kW

| Model             | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|-------------------|-----------------|---------------|------------|-----------|
| 700.KE-2i/400     | 400x700x280     | 2             | 7 kW       | € 5 670   |
| 700.KE-2i/400.T   | 400x700x900     | 2             | 7 kW       | € 6 045   |
| 700.KE-2i/400.S   | 400x700x900     | 2             | 7 kW       | € 6 045   |
| 700.KE-2i/400.S.D | 400x700x900     | 2             | 7 kW       | € 6 160   |



700.KE-2i/400.T



700.KE-2i/400.S




700.KE-2i/400.S.D



700.KE-4i/800

### 4-burner induction cooker

Ø 220 mm 3,5 kW



Ø 220 mm 3,5 kW

| Model             | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|-------------------|-----------------|---------------|------------|-----------|
| 700.KE-4i/800     | 800x700x280     | 4             | 14 kW      | € 11 290  |
| 700.KE-4i/800.T   | 800x700x900     | 4             | 14 kW      | € 11 715  |
| 700.KE-4i/800.S   | 800x700x900     | 4             | 14 kW      | € 11 755  |
| 700.KE-4i/800.S.D | 800x700x900     | 4             | 14 kW      | € 11 985  |



700.KE-4i/800.T



700.KE-4i/800.S




700.KE-4i/800.S.D

# LINE 700

## INDUCTION / CERAMIC HOBS



4-ring ceramic hob



700.KE-4C



700.KE-4C.T



700.KE-4C.S



700.KE-4C.S.D

| Model         | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|---------------|-----------------|---------------|------------|-----------|
| 700.KE-4C     | 800x700x280     | 4             | 12,1 kW    | € 3 899   |
| 700.KE-4C.T   | 800x700x900     | 4             | 12,1 kW    | € 4 324   |
| 700.KE-4C.S   | 800x700x900     | 4             | 12,1 kW    | € 4 364   |
| 700.KE-4C.S.D | 800x700x900     | 4             | 12,1 kW    | € 4 594   |



# LINE 700

## HEATING PLATES



700.KG/I-400



700.KG/I-400.T



700.KG/I-400.S



700.KG/I-400.S.D

### Chrome-plated gas heating plate 400 mm

Ø 104 mm / 4.5 kW



| Model            | Dimensions (mm) | Burners | Power (kW) | Net price |
|------------------|-----------------|---------|------------|-----------|
| 700.KG/I-400     | 400x700x280     | 1       | 4.5 kW     | € 2 020   |
| 700.KG/I-400.T   | 400x700x900     | 1       | 4.5 kW     | € 2 395   |
| 700.KG/I-400.S   | 400x700x900     | 1       | 4.5 kW     | € 2 395   |
| 700.KG/I-400.S.D | 400x700x900     | 1       | 4.5 kW     | € 2 510   |



700.KG/I-800



700.KG/I-800.T




700.KG/I-800.S



700.KG/I-800.S.D

### Chrome-plated gas heating plate 800 mm

Ø 128 mm / 9 kW




| Model            | Dimensions (mm) | Burners | Power (kW) | Net price |
|------------------|-----------------|---------|------------|-----------|
| 700.KG/I-800     | 800x700x280     | 1       | 9 kW       | € 2 825   |
| 700.KG/I-800.T   | 800x700x900     | 1       | 9 kW       | € 3 250   |
| 700.KG/I-800.S   | 800x700x900     | 1       | 9 kW       | € 3 290   |
| 700.KG/I-800.S.D | 800x700x900     | 1       | 9 kW       | € 3 520   |



700.KG/I-800/PE-2

### Chrome-plated heating plate 800 mm with electric / gas oven

Ø 128 mm / 9 kW




| Model             | Dimensions (mm) | Burners | Power (kW) | Net price |
|-------------------|-----------------|---------|------------|-----------|
| 700.KG/I-800/PE-2 | 800x700x900     | 1       | 9 kW       | € 5 130   |
| 700.KG/I-800/PG-2 | 800x700x900     | 1       | 9 kW       | € 5 260   |

700.KG/I-800/PE-2  
Electric oven  
Power: 6.5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1

700.KG/I-800/PG-2  
Gas oven  
Power: 5.5 kW  
Temperature range: 150° - 300°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: GN 2/1

# 700 SERIES

## GAS FRYERS



# 700 SERIES

## GAS FRYERS




700.FG-15f

Gas fryer 1 x 15 l  
on a closed cabinet base

| Model      | Dimensions (mm) | Working capacity   | Power (kW) | Net price |
|------------|-----------------|--------------------|------------|-----------|
| 700.FG-15f | 400x700x900     | 15 dm <sup>3</sup> | 12,7 kW    | € 2 720   |

# 700 LINE

## ELECTRIC DEEP FRYERS



# 700 SERIES

## ELECTRIC FRYERS



700.FE-2x15f



700.FE-15f

### Electric fryer 1 x 15l Electric fryer 2 x 15l

| Model        | Dimensions (mm) | Power (kW) | Net price |
|--------------|-----------------|------------|-----------|
| 700.FE-15f   | 400x700x900     | 15 kW      | € 2 615   |
| 700.FE-2x15f | 800x700x900     | 30 kW      | € 4 335   |



700.FE-10f



700.FE-10f.T



700.FE-10f.S



700.FE-10f.S.D

### Electric deep fryer 1 x 8l

| Model          | Dimensions (mm) | Power (kW) | Net price |
|----------------|-----------------|------------|-----------|
| 700.FE-10f     | 400x700x280     | 8 kW       | € 2 080   |
| 700.FE-10f.T   | 400x700x900     | 8 kW       | € 2 455   |
| 700.FE-10f.S   | 400x700x900     | 8 kW       | € 2 455   |
| 700.FE-10f.S.D | 400x700x900     | 8 kW       | € 2 570   |



700.FE-2x10f



700.FE-2x10f.T



700.FE-2x10f.S



700.FE-2x10f.S.D

### Electric fryer 2 x 8l

| Model            | Dimensions (mm) | Power (kW) | Net price |
|------------------|-----------------|------------|-----------|
| 700.FE-2x10f     | 800x700x280     | 16 kW      | € 3 235   |
| 700.FE-2x10f.T   | 800x700x900     | 16 kW      | € 3 660   |
| 700.FE-2x10f.S   | 800x700x900     | 16 kW      | € 3 700   |
| 700.FE-2x10f.S.D | 800x700x900     | 16 kW      | € 3 930   |

# LINE 700

## FRITES HEATERS



**All stainless steel**



700.PF-1p

### French fry warmer with IR radiator

| Model         | Dimensions (mm) | Power (kW) | Net price |
|---------------|-----------------|------------|-----------|
| 700.PF-1p     | 400x700x280     | 1,35 kW    | € 1 670   |
| 700.PF-1p.T   | 400x700x900     | 1,35 kW    | € 2 045   |
| 700.PF-1p.S   | 400x700x900     | 1,35 kW    | € 2 045   |
| 700.PF-1p.S.D | 400x700x900     | 1,35 kW    | € 2 160   |



700.PF-1p.T



700.PF-1p.S



700.PF-1p.S.D



700.PF-1

### French fry warmer

| Model        | Dimensions (mm) | Power (kW) | Net price |
|--------------|-----------------|------------|-----------|
| 700.PF-1     | 400x700x280     | 0,7 kW     | € 1 440   |
| 700.PF-1.T   | 400x700x900     | 0,7 kW     | € 1 815   |
| 700.PF-1.S   | 400x700x900     | 0,7 kW     | € 1 815   |
| 700.PF-1.S.D | 400x700x900     | 0,7 kW     | € 1 930   |



700.PF-1.T



700.PF-1.S



700.PF-1.S.D

# LINE 700

## PASTA AND DUMPLING COOKER



### Accessories

- Pasta cooker container 1/3 GN
- Pasta cooker container 1/6 GN



CCB601



CCB602



700.EUS-400.S.D

Pasta and dumpling cooker  
with drainer and two baskets  
on a closed cabinet base

| Model           | Dimensions (mm) | Power (kW) | Net price |
|-----------------|-----------------|------------|-----------|
| 700.EUS-400.S.D | 400x700x900     | 6 kW       | € 2 310   |

# 700 SERIES

BEMAR



700.BE-1



700.BE-1.T



700.BE-1.S



700.BE-1.S.D

## Electric bain-marie

| Model        | Dimensions (mm) | Power (kW) | Net price |
|--------------|-----------------|------------|-----------|
| 700.BE-1     | 400x700x280     | 0,7 kW     | € 1 285   |
| 700.BE-1.T   | 400x700x900     | 0,7 kW     | € 1 660   |
| 700.BE-1.S   | 400x700x900     | 0,7 kW     | € 1 660   |
| 700.BE-1.S.D | 400x700x900     | 0,7 kW     | € 1 775   |

# 700 SERIES

## GAS / ELECTRIC GRILL PLATES



# 700 LINE

## GAS GRILL PLATES



700.PBG-400G

Smooth chrome gas grill plate 400 mm  
on a closed cabinet base

| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 700.PBG-400G | 400x700x900     | 1       | 5,5 kW     | € 2 975   |



700.PBG-400R

Chrome-plated grooved  
gas grill plate, 400 mm,  
on a closed cabinet base

| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 700.PBG-400R | 400x700x900     | 1       | 5,5 kW     | € 3 055   |

# 700 SERIES

## ELECTRIC GRILL PLATES



700.PBE-400G

Smooth chrome-plated grill plate 400 mm

| Model            | Dimensions (mm) | Working area (mm) | Power (kW) | Net price |
|------------------|-----------------|-------------------|------------|-----------|
| 700.PBE-400G     | 400x700x280     | 396 x 560         | 4,8 kW     | € 2 055   |
| 700.PBE-400G.T   | 400x700x900     | 396 x 560         | 4,8 kW     | € 2 430   |
| 700.PBE-400G.S   | 400x700x900     | 396 x 560         | 4,8 kW     | € 2 430   |
| 700.PBE-400G.S.D | 400x700x900     | 396 x 560         | 4,8 kW     | € 2 545   |



700.PBE-400G.T



700.PBE-400G.S



700.PBE-400G.S.D



700.PBE-400R

Chrome-plated ribbed grill plate 400 mm

| Model            | Dimensions (mm) | Working area (mm) | Power (kW) | Net price |
|------------------|-----------------|-------------------|------------|-----------|
| 700.PBE-400R     | 400x700x280     | 396 x 560         | 4,8 kW     | € 2 130   |
| 700.PBE-400R.T   | 400x700x900     | 396 x 560         | 4,8 kW     | € 2 505   |
| 700.PBE-400R.S   | 400x700x900     | 396 x 560         | 4,8 kW     | € 2 505   |
| 700.PBE-400R.S.D | 400x700x900     | 396 x 560         | 4,8 kW     | € 2 620   |



700.PBE-400R.T



700.PBE-400R.S



700.PBE-400R.S.D



700.PBE-600G

Smooth grill plate 600 mm

| Model            | Dimensions (mm) | Working area (mm) | Power (kW) | Net price |
|------------------|-----------------|-------------------|------------|-----------|
| 700.PBE-600G     | 600x700x280     | 596 x 560         | 8 kW       | € 2 780   |
| 700.PBE-600G.T   | 600x700x900     | 596 x 560         | 8 kW       | € 3 180   |
| 700.PBE-600G.S   | 600x700x900     | 596 x 560         | 8 kW       | € 3 180   |
| 700.PBE-600G.S.D | 600x700x900     | 596 x 560         | 8 kW       | € 3 440   |



700.PBE-600G.T



700.PBE-600G.S



700.PBE-600G.S.D

# LINE 700

## ELECTRIC GRILL PLATES



700.PBE-600GR

Grill plate 1/2 head + 1/2 ribbed,  
chrome-plated, 600 mm

| Model             | Dimensions (mm) | Working area (mm) | Power (kW) | Net price |
|-------------------|-----------------|-------------------|------------|-----------|
| 700.PBE-600GR     | 600x700x280     | 596 x 560         | 8 kW       | € 2 899   |
| 700.PBE-600GR.T   | 600x700x900     | 596 x 560         | 8 kW       | € 3 299   |
| 700.PBE-600GR.S   | 600x700x900     | 596 x 560         | 8 kW       | € 3 299   |
| 700.PBE-600GR.S.D | 600x700x900     | 596 x 560         | 8 kW       | € 3 429   |



700.PBE-600GR.T



700.PBE-600GR.S



700.PBE-600GR.S.D



700.PBE-800GR

Grill plate 1/2 flat + 1/2 ribbed,  
chrome-plated, 800 mm

| Model             | Dimensions (mm) | Working area (mm) | Power (kW) | Net price |
|-------------------|-----------------|-------------------|------------|-----------|
| 700.PBE-800GR     | 800x700x280     | 796 x 560         | 9,6 kW     | € 3 110   |
| 700.PBE-800GR.T   | 800x700x900     | 796 x 560         | 9,6 kW     | € 3 535   |
| 700.PBE-800GR.S   | 800x700x900     | 796 x 560         | 9,6 kW     | € 3 575   |
| 700.PBE-800GR.S.D | 800x700x900     | 796 x 560         | 9,6 kW     | € 3 805   |



700.PBE-800GR.T



700.PBE-800GR.S



700.PBE-800GR.S.D



700.PBE-800G

Smooth chrome-plated  
grill plate 800 mm

| Model            | Dimensions (mm) | Working area (mm) | Power (kW) | Net price |
|------------------|-----------------|-------------------|------------|-----------|
| 700.PBE-800G     | 800x700x280     | 796 x 560         | 9,6 kW     | € 2 975   |
| 700.PBE-800G.T   | 800x700x900     | 796 x 560         | 9,6 kW     | € 3 400   |
| 700.PBE-800G.S   | 800x700x900     | 796 x 560         | 9,6 kW     | € 3 440   |
| 700.PBE-800G.S.D | 800x700x900     | 796 x 560         | 9,6 kW     | € 3 670   |



700.PBE-800G.T




700.PBE-800G.S



700.PBE-800G.S.D

# 700 SERIES

## LAVA GRILLS





700.OGL-400

### Lava grill 400 mm

| Model           | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------------|-----------------|---------|------------|-----------|
| 700.OGL-400     | 400x700x280     | 1       | 7 kW       | € 1 825   |
| 700.OGL-400.T   | 400x700x900     | 1       | 7 kW       | € 2 200   |
| 700.OGL-400.S   | 400x700x900     | 1       | 7 kW       | € 2 200   |
| 700.OGL-400.S.D | 400x700x900     | 1       | 7 kW       | € 2 315   |



700.OGL-400.T



700.OGL-400.S



700.OGL-400.S.D



700.OGL-800

### Lava grill 800 mm

| Model           | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------------|-----------------|---------|------------|-----------|
| 700.OGL-800     | 800x700x280     | 2       | 14 kW      | € 2 899   |
| 700.OGL-800.T   | 800x700x900     | 2       | 14 kW      | € 3 324   |
| 700.OGL-800.S   | 800x700x900     | 2       | 14 kW      | € 3 364   |
| 700.OGL-800.S.D | 800x700x900     | 2       | 14 kW      | € 3 594   |



700.OGL-800.T



700.OGL-800.S



700.OGL-800.S.D

# LINE 700

## BOILING PANS



700.BEK-80AN

80 l electric intermediate boiling kettle with automatic filling

| Model        | Dimensions (mm) | Working capacity   | Power (kW) | Net price |
|--------------|-----------------|--------------------|------------|-----------|
| 700.BEK-80AN | 800x700x900     | 80 dm <sup>3</sup> | 12,5 kW    | € 6 515   |

\*applies to model 700.BEK-80AN

# 700 SERIES

## BOILING PANS



700.BEK-80

### Electric indirect boiling pan 80l

| Model      | Dimensions (mm) | Working capacity   | Power (kW) | Net price |
|------------|-----------------|--------------------|------------|-----------|
| 700.BEK-80 | 800x700x900     | 80 dm <sup>3</sup> | 12,5 kW    | € 5 645   |



700.BGK-80

### Gas-fired indirect boiling pan 80l

| Model      | Dimensions (mm) | Working capacity   | Power (kW) | Net price |
|------------|-----------------|--------------------|------------|-----------|
| 700.BGK-80 | 800x700x900     | 80 dm <sup>3</sup> | 16 kW      | € 6 205   |



700.BGK-80AN

### Gas-fired indirect boiling pan with automatic filling

| Model        | Dimensions (mm) | Working capacity   | Power (kW) | Net price |
|--------------|-----------------|--------------------|------------|-----------|
| 700.BGK-80AN | 800x700x900     | 80 dm <sup>3</sup> | 16 kW      | € 6 720   |

# LINE 700

## TILTING BRATT PANS



# LINE 700

## TILTING FRYERS



700.PTG-03

### Tilting gas pan 50l

| Model      | Dimensions (mm) | Cap.               | Power (kW) | Net price |
|------------|-----------------|--------------------|------------|-----------|
| 700.PTG-03 | 800x700x900     | 50 dm <sup>3</sup> | 10 kW      | € 5 080   |



700.PE-03

### Tilting electric pan 50l

| Model     | Dimensions (mm) | Cap.               | Power (kW) | Net price |
|-----------|-----------------|--------------------|------------|-----------|
| 700.PE-03 | 800x700x900     | 50 dm <sup>3</sup> | 9 kW       | € 4 485   |

# LINE 700

## NEUTRAL ELEMENTS



700.SR-200



700.SR-400

### Neutral element 200 mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 700.SR-200 | 200x700x280     | € 335     |

### Neutral element 400 mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 700.SR-400 | 400x700x280     | € 425     |



700.SR-600



700.SR-800

### Neutral element 600mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 700.SR-600 | 600x700x280     | € 450     |

### Neutral element 800mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 700.SR-800 | 800x700x280     | € 490     |

# LINE 700

## OPEN BASES



700.T-200

Open base 200 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.T-200 | 200x566x620     | € 245     |



700.T-400

Open base 400 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.T-400 | 400x566x620     | € 375     |



700.T-600

Open base 600 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.T-600 | 600x566x620     | € 400     |



700.T-800

Open base 800mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.T-800 | 800x566x620     | € 425     |



700.T-1200

Open base 1200mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 700.T-1200 | 1200x566x620    | € 475     |

# LINE 700

## CABINET BASE



700.S-400



700.S-600

### Cabinet base 400mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.S-400 | 400x566x620     | € 375     |

### Cabinet base 600mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.S-600 | 600x566x620     | € 400     |



700.S-800



700.S-1200

### Cabinet base 800mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.S-800 | 800x566x620     | € 465     |

### Cabinet base 1200 mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 700.S-1200 | 1200x566x620    | € 475     |

# LINE 700

## DOORS / DRAWERS



700.D-400



700.D-600

### Door 400 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.D-400 | 394x30x444      | € 115     |

### Door 600 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.D-600 | 594x30x444      | € 130     |



700.Z-400



700.Z-600

### Drawer 400 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.Z-400 | 390x560x215     | € 180     |

### Drawer 600 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 700.Z-600 | 590x560x215     | € 205     |

# LINE 700

## ACCESSORIES



000.NGG-1

### Smooth cover for gas cookers

| Model     | Dimensions (mm) | Net price         |
|-----------|-----------------|-------------------|
| 000.NGG-1 | 320x539x100     | Ask for the price |



000.NGR-1

### Ribbed cover for gas cookers

| Model     | Dimensions (mm) | Net price         |
|-----------|-----------------|-------------------|
| 000.NGR-1 | 320x539x100     | Ask for the price |



700.NRG-1

### Reduction cover for gas cookers

| Model     | Dimensions (mm) | Net price         |
|-----------|-----------------|-------------------|
| 700.NRG-1 | 140x140x18      | Ask for the price |



700.NES-2

### Reduction cover for electric cooker

| Model     | Dimensions (mm) | Net price         |
|-----------|-----------------|-------------------|
| 700.NES-2 | 291x551x22      | Ask for the price |



700.WOK-1

### Reduction cover for WOK pan grate

| Model     | Dimensions (mm) | Net price         |
|-----------|-----------------|-------------------|
| 000.WOK-1 | Ø 250 x 75      | Ask for the price |



CCB601

### Container for pasta maker 1/3 GN

| Model  | Dimensions (mm) | Net price         |
|--------|-----------------|-------------------|
| CCB601 | 160x290x215     | Ask for the price |



CCB602

### Container for pasta maker 1/6 GN

| Model  | Dimensions (mm) | Net price         |
|--------|-----------------|-------------------|
| CCB602 | 140x140x215     | Ask for the price |



CFC536

### Basket for electric fryers

| Model  | Dimensions (mm) | Net price         |
|--------|-----------------|-------------------|
| CFC536 | 210x280x90      | Ask for the price |



7AD182

### Basket for gas fryers

| Model  | Dimensions (mm) | Net price         |
|--------|-----------------|-------------------|
| 7AD182 | 275x300x120     | Ask for the price |



**Compact line**  
**700**

# COMPACT 700 LINE

## GAS COOKERS

Professional Kromet gas cookers, reliable and easy to use.




# COMPACT 700 LINE

## GAS COOKERS



000.KG-2M

2-burner gas boiling top on open base




| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.KG-2M | 400x700x850     | 2       | 12 kW      | € 1 145   |



000.KG-4M

4-burner gas boiling top on open base




| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.KG-4M | 800x700x850     | 4       | 24 kW      | € 1 745   |



000.KG-6M


6-burner gas boiling top on open base



| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.KG-6M | 1200x700x850    | 6       | 36 kW      | € 2 385   |

# COMPACT 700 LINE

## GAS COOKERS WITH OVEN



Thermally insulated doors ensure perfectly even baking



Cool-touch handle for comfortable use


# COMPACT 700 LINE

## GAS COOKERS WITH OVEN



000.KG-4s/PG-2

### Gas cooker with gas oven



| Model          | Dimensions (mm) | Burners | Power (kW) | Net price |
|----------------|-----------------|---------|------------|-----------|
| 000.KG-4s/PG-1 | 800x700x900     | 4       | 17,5 kW    | € 3 465   |
| 000.KG-4s/PG-2 | 800x700x900     | 4       | 18,5 kW    | € 3 825   |


000.KG-4s/PG-1  
Gas oven  
Power: 4,5 kW  
Temperature range: 150° - 300°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: 2 x GN 1/1

000.KG-4s/PG-2  
Gas oven  
Power: 5,5 kW  
Temperature range: 150° - 300°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: 2 x GN 2/1



000.KG-4s/PE-2

### Gas cooker with electric oven



| Model           | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------------|-----------------|---------|------------|-----------|
| 000.KG-4s/PE-1  | 800x700x900     | 4       | 13 kW      | € 3 465   |
| 000.KG-4s/PE-2  | 800x700x900     | 4       | 13 kW      | € 3 720   |
| 000.KG-4S/PE-1T | 800x700x900     | 4       | 13 kW      | € 3 820   |

000.KG-4s/PE-1  
Electric oven  
Power: 3,5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: 2 x GN 1/1

000.KG-4s/PE-2  
Electric oven  
Power: 6,5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 695 x 550 x 310 mm  
GN: 2 x GN 2/1

000.KG-4S/PE-1T  
Electric oven with convection  
Power: 3,5 kW  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 300°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: 2 x GN 2/1

# COMPACT 700 LINE

## ELECTRIC COOKERS



Large uniform hob surface allows multiple dishes to be heated simultaneously. The entire hob surface ensures even temperature distribution.




# COMPACT 700 LINE

## ELECTRIC COOKERS



000.KE-2M

2-ring electric cooker with round hob on open base




| Model     | Dimensions (mm) | Heating<br>lates | Power<br>(kW) | Net price |
|-----------|-----------------|------------------|---------------|-----------|
| 000.KE-2M | 400x700x850     | 2                | 5,2 kW        | € 835     |



000.KE-4M

4-ring electric cooker with round hob on open base




| Model     | Dimensions (mm) | Heating<br>lates | Power<br>(kW) | Net price |
|-----------|-----------------|------------------|---------------|-----------|
| 000.KE-4M | 800x700x850     | 4                | 9,8 kW        | € 1 235   |



000.KE-6M

6-ring electric cooker with round hob on open base



| Model     | Dimensions (mm) | Heating<br>lates | Power<br>(kW) | Net price |
|-----------|-----------------|------------------|---------------|-----------|
| 000.KE-6M | 1200x700x850    | 6                | 14,4 kW       | € 1 590   |


# COMPACT 700 LINE

## ELECTRIC COOKERS



000.KEZ-4u

### 4-ring square electric hob




| Model      | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|------------|-----------------|----------------|------------|-----------|
| 000.KEZ-4u | 800x800x230     | 4              | 16 kW      | € 3 055   |



000.KEZ-4u.T

### 4-ring square electric hob on an open base




| Model        | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|--------------|-----------------|----------------|------------|-----------|
| 000.KEZ-4u.T | 800x800x850     | 4              | 16 kW      | € 3 415   |



000.KEZ-4u.S

### 4-ring square electric hob on an open cabinet base



| Model        | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|--------------|-----------------|----------------|------------|-----------|
| 000.KEZ-4u.S | 800x800x850     | 4              | 16 kW      | € 3 520   |


# COMPACT 700 LINE

## ELECTRIC COOKERS



000.KEZ-4u.S

4-ring square  
electric hob on  
a closed cabinet base



| Model          | Dimensions (mm) | Heating plates | Power (kW) | Net price |
|----------------|-----------------|----------------|------------|-----------|
| 000.KEZ-4u.S.D | 800x800x850     | 4              | 16 kW      | € 3 750   |

## INDUCTION COOKERS



000.KE-2i

2-zone induction  
cooker

| Model     | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|-----------|-----------------|---------------|------------|-----------|
| 000.KE-2i | 400x700x280     | 2             | 4,2 kW     | € 1 925   |

## DEEP FRYERS



000.FE-10f

Electric deep fryer, 8 l

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 000.FE-10f | 400x700x280     | 8 kW       | € 1 500   |



**Line  
900**

# 900 SERIES

## GAS COOKERS



1.5 mm thick  
stainless steel  
top plate

Customised burner  
positions and power settings\*



Profiled front for clean  
knobs



Energy efficiency



Powerful double crown  
burners - 9.0 kW



Large ergonomic  
knobs with safety ring




Reduction plate  
for WOK pan grate



### Accessories

- Smooth grill plate
- Grooved grill plate
- Wok pan



000.NGG-1



000.NGR-1



700.WOK-1

\* for an additional charge of PLN 300 / 1 burner

# LINE 900

## GAS COOKERS



900.KG-4



900.KG-4.T




900.KG-4.S



900.KG-4.S.D

4-burner gas boiling top on open base



| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 900.KG-4     | 900x900x280     | 4       | 30 kW      | € 2 310   |
| 900.KG-4.T   | 900x900x900     | 4       | 30 kW      | € 2 980   |
| 900.KG-4.S   | 900x900x900     | 4       | 30 kW      | € 2 980   |
| 900.KG-4.S.D | 900x900x900     | 4       | 30 kW      | € 3 320   |



900.KG-6



900.KG-6.T




900.KG-6.S



900.KG-6.S.D

6-burner gas boiling top on open base



| Model        | Dimensions (mm) | Burners | Power (kW) | Net price |
|--------------|-----------------|---------|------------|-----------|
| 900.KG-6     | 1350x900x280    | 6       | 42 kW      | € 2 950   |
| 900.KG-6.T   | 1350x900x900    | 6       | 42 kW      | € 3 670   |
| 900.KG-6.S   | 1350x900x900    | 6       | 42 kW      | € 3 670   |
| 900.KG-6.S.D | 1350x900x900    | 6       | 42 kW      | € 4 180   |

# 900 LINE

## COOKERS WITH ELECTRIC OVEN



Powerful double-ring burners  
- 9.0 kW



Large ergonomic knobs with  
safety ring



Reduction plate for WOK pan



### Accessories

- Smooth grill plate
- Grooved grill plate
- Wok attachment



000.NGG-1



000.NGR-1



700.WOK-1

\* for an additional charge of PLN 300 / 1 burner


# LINE 900

## COOKERS WITH ELECTRIC OVEN



900.KE-4/PE-1T

Electric cooker  
with electric oven  
with convection



| Model          | Dimensions (mm) | Heating<br>lateral | Power<br>(kW) | Net price |
|----------------|-----------------|--------------------|---------------|-----------|
| 900.KE-4/PE-1T | 900x900x900     | 4                  | 16 kW         | € 4 780   |

Electric oven  
Power: 7.0 kW  
Fan: Yes  
Heating: top, bottom, top/bottom  
Temperature range: 50° - 250°C  
Chamber dimensions: 535 x 650 x 360 mm  
GN: GN 2/1

# 900 LINE

## ELECTRIC COOKERS



1.5 mm thick  
stainless steel  
top plate

Square hot  
plates 300x300mm



Large ergonomic  
knobs with safety ring

Embossed top  
plate for easy cleaning



Six-step power adjustment



Front profiling for clean knobs

# LINE 900


## ELECTRIC COOKERS



900.KE-4

Electric cooker  
with 4 hotplates

301x301 mm / 4.0 kW



301x301 mm / 4.0 kW



900.KE-4.T



900.KE-4.S



900.KE-4.S.D

| Model        | Dimensions (mm) | Heating<br>lates | Power<br>(kW) | Net price |
|--------------|-----------------|------------------|---------------|-----------|
| 900.KE-4     | 900x900x280     | 4                | 16 kW         | € 2 615   |
| 900.KE-4.T   | 900x900x900     | 4                | 16 kW         | € 3 285   |
| 900.KE-4.S   | 900x900x900     | 4                | 16 kW         | € 3 285   |
| 900.KE-4.S.D | 900x900x900     | 4                | 16 kW         | € 3 625   |

# 900 LINE

## INDUCTION COOKERS

Energy savings up to 50%  
Efficiency up to 90%




Illustrative photo.  
Visualisation of  
induction heating



900.KE-4i/900

### 4-field induction hob

301x301 mm / 5.0 kW



301x301 mm / 5.0 kW



900.KE-4i/900.T



900.KE-4i/900.S




900.KE-4i/900.S.D

| Model             | Dimensions (mm) | Pola grzewcze | Power (kW) | Net price         |
|-------------------|-----------------|---------------|------------|-------------------|
| 900.KE-4i/900     | 900x900x280     | 4             | 20 kW      | Ask for the price |
| 900.KE-4i/900.T   | 900x900x900     | 4             | 20 kW      | Ask for the price |
| 900.KE-4i/900.S   | 900x900x900     | 4             | 20 kW      | Ask for the price |
| 900.KE-4i/900.S.D | 900x900x900     | 4             | 20 kW      | Ask for the price |

# 900 LINE

## DEEP FRYERS



High power heaters

Large capacity  
Large cold zone




900.FE-18f

Electric deep fryer with cabinet 1 x 23l

| Model      | Dimensions (mm) | Working capacity   | Power (kW) | Net price |
|------------|-----------------|--------------------|------------|-----------|
| 900.FE-18f | 450x900x900     | 23 dm <sup>3</sup> | 13,5 kW    | € 3 205   |

# LINE 900

## BOILING PANS



\*Applies to models 900.BEK-150AN and 900.BEK-200AN



900.BEK-150AN

### 150 l electric indirect heating boiling pan with automatic filling

| Model         | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|---------------|-----------------|---------------------|------------|-----------|
| 900.BEK-150AN | 900x900x900     | 150 dm <sup>3</sup> | 18,5 kW    | € 6 410   |

Drain valve: 1 1/2" Rated voltage, type of current: 400V 3N~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 313 mm



900.BEK-200AN

### 200 l electric indirect boiling pan with automatic filling

| Model         | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|---------------|-----------------|---------------------|------------|-----------|
| 900.BEK-200AN | 900x900x900     | 200 dm <sup>3</sup> | 24,5 kW    | € 7 000   |

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

# LINE 900

## BOILING PANS



900.BEK-150.2

### 150 l electric indirect boiling pan

| Model         | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|---------------|-----------------|---------------------|------------|-----------|
| 900.BEK-150.2 | 900x900x900     | 150 dm <sup>3</sup> | 18,5 kW    | € 5 950   |

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N- Water connection: G 1/2 Max. working pressure: 0,5 bar Distance of drain valve from the ground: 313 mm



900.BEK-200

### Electric indirect boiling kettle 200 l

| Model       | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|-------------|-----------------|---------------------|------------|-----------|
| 900.BEK-200 | 900x900x900     | 200 dm <sup>3</sup> | 24,5 kW    | € 6 410   |

Drain valve: 1 1/2" Rated voltage, current type: 400V 3N- Water connection: G 1/2 Max. operating pressure: 0,5 bar Distance of drain valve from the ground: 245 mm

# LINE 900

## BOILING PANS



900.BGK-150.1

### 150 l gas-fired indirect brewing kettle

| Model         | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|---------------|-----------------|---------------------|------------|-----------|
| 900.BGK-150.1 | 900x900x900     | 150 dm <sup>3</sup> | 21kW       | € 6 360   |

Drain valve: 1 1/2" Rated voltage, current type: 230V ~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 313 mm



900.BGK-200

### 200 l indirect gas-fired boiling pan

| Model       | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|-------------|-----------------|---------------------|------------|-----------|
| 900.BGK-200 | 900x900x900     | 200 dm <sup>3</sup> | 21 kW      | € 6 925   |

Drain valve: 1 1/2" Rated voltage, type of current: 230V ~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

# LINE 900

## BREWING KETTLES



900.BGK-150AN

### 150 l gas-fired indirect brewing kettle with automatic filling

| Model         | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|---------------|-----------------|---------------------|------------|-----------|
| 900.BGK-150AN | 900x900x900     | 150 dm <sup>3</sup> | 21 kW      | € 6 670   |

Drain valve: 1 1/2" Rated voltage, type of current: 230V ~ Water connection: G 1/2 Max. operating pressure: 0.5 bar Distance of drain valve from the ground: 245 mm



900.BGK-200AN

### 200 l gas-fired indirect boiling pan with automatic filling

| Model         | Dimensions (mm) | Working capacity    | Power (kW) | Net price |
|---------------|-----------------|---------------------|------------|-----------|
| 900.BGK-200AN | 900x900x900     | 200 dm <sup>3</sup> | 21 kW      | € 7 285   |

Drain valve: 1 1/2" Rated voltage, current type: 230V ~ Water connection: G 1/2 Max. working pressure: 0.5 bar Distance of drain valve from the ground: 245 mm

# LINE 900

## TILTING FRYERS



\*Additional charge PLN 1000 | \*\*Applies to model 900.PE-05Ex

# LINE 900

## TILTING BRATT PANS



900.PE-05Ex

### Electric pan (automatic tilt) 80 l

| Model       | Dimensions (mm) | Capacity           | Power (kW) | Net price |
|-------------|-----------------|--------------------|------------|-----------|
| 900.PE-05Ex | 900x900x900     | 80 dm <sup>3</sup> | 12 kW      | € 5 695   |

Working surface: 0,5 m<sup>2</sup>  
 Bowl dimensions: 775 x 605 x 200 mm  
 Temperature range: 50-275°C  
 Rated voltage, type of current: 400V 3N-



900.PE-05Ex

### Gas pan (automatic tilt) 80 l

| Model        | Dimensions (mm) | Capacity           | Power (kW) | Net price |
|--------------|-----------------|--------------------|------------|-----------|
| 900.PTG-05Ex | 900x900x900     | 80 dm <sup>3</sup> | 18 kW      | € 5 900   |

Working area: 0,5 m<sup>2</sup> Bowl dimensions: 775 x 605 x 200 mm Gas connection: R1/2

# LINE 900

## BASES



900.T-900

Open base 900 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 900.T-900 | 900x772x620     | € 670     |



900.T-1350

Open base 1350 mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 900.T-1350 | 1350x772x620    | € 720     |



900.S-900

Cabinet base 900 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 900.S-900 | 900x772x620     | € 670     |



900.S-1350

Cabinet base 1350 mm

| Model      | Dimensions (mm) | Net price |
|------------|-----------------|-----------|
| 900.S-1350 | 1350x772x620    | € 720     |

# LINE 900

## DOORS



900.D-450

Door 450 mm

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 900.D-450 | 440x20x444      | € 170     |



**Compact line  
900**

# COMPACT 900 LINE

## GAS COOKERS

Professional Kromet gas cookers, reliable and easy to use.



# COMPACT 900 LINE


## GAS COOKERS



000.KG-2L

2-burner gas boiling top on open base

Ø 128 mm / 7.5 kW



Ø 104 mm / 4.5 kW


| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.KG-2L | 450x850x850     | 2       | 12 kW      | € 1 080   |



000.KG-4L

4-burner gas boiling top on open base

Ø 128 mm 9.0 kW Ø 128 mm 7.5 kW



Ø 104 mm 4.5 kW Ø 128 mm 9.0 kW


| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.KG-4L | 900x850x850     | 4       | 30 kW      | € 1 825   |



000.KG-6L

6-burner gas boiling top on open base

Ø 128 mm 9.0 kW Ø 128 mm 7.5 kW Ø 104 mm 4.5 kW



Ø 104 mm 4.5 kW Ø 128 mm 7.5 kW Ø 128 mm 9.0 kW

| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.KG-6L | 1350x850x850    | 6       | 42 kW      | € 2 515   |

# CONVECTION OVENS

Segmented convection ovens with convection are recommended as basic equipment for small and medium-sized catering establishments as well as large professional kitchens.

Double glass in the door, the use of double glass in the door with a ventilated outer pane ensures a safe temperature on the door housing

Even temperature distribution thanks to proper air circulation ensures the same baking results on all levels



Removable guides, easy to dismantle for cleaning and shaped to ensure correct positioning of the container

Hygienic chamber with rounded edges and corners and a drain at the bottom for easy cleaning of the interior

# CONVECTION OVENS

## 1-chamber convection oven with convection



000.PE-1/T

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 000.PE-1/T | 900x850x640     | 7 kW       | € 2 720   |

Temperature range: 50° - 250°C  
Chamber dimensions: 535 x 650 x 360 mm  
Number of chambers: 1  
GN: 3 x GN 2/1



000.PE-2/T

## 2-chamber convection oven with convection

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 000.PE-2/T | 900x850x1110    | 14 kW      | € 4 570   |

Temperature range: 50° - 250°C  
Chamber dimensions: 535 x 650 x 360 mm  
Number of chambers: 2  
GN: 6 x GN 2/1



000.PE-3/T

## 3-chamber convection oven with convection

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 000.PE-3/T | 900x850x1580    | 21 kW      | € 6 310   |

Temperature range: 50° - 250°C  
Chamber dimensions: 535 x 650 x 360 mm  
Number of chambers: 3  
GN: 9 x GN 2/1

# OVENS



700.PG-1

## Gas oven 2 x GN 1/1

| Model    | Dimensions (mm) | Power (kW) | Net price |
|----------|-----------------|------------|-----------|
| 700.PG-1 | 800x650x650     | 4,5 kW     | € 2 020   |

Temperature range: 150° - 300°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: 2 x GN 1/1



700.PE-1


## Electric oven 2 x GN 1/1 \* version with convection

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 700.PE-1   | 800x650x620     | 3,5 kW     | € 2 020   |
| 700.PE-1T* | 800x650x620     | 3,5 kW     | € 2 360   |

Temperature range: 50° - 250°C  
Chamber dimensions: 575 x 450 x 316 mm  
GN: 2 x GN 1/1

Glass doors available at extra cost

# ACCESSORIES



## GN 2/1 grate

| Model   | Dimensions (mm) | Net price |
|---------|-----------------|-----------|
| GAB 001 | 650x530         | € 65      |



## GN 1/1 grate

| Model   | Dimensions (mm) | Net price |
|---------|-----------------|-----------|
| GAB 002 | 530x325         | € 40      |



000.T-PKTP10

## Base for RINATO oven, base dimensions

| Model        | Dimensions (mm) | Net price |
|--------------|-----------------|-----------|
| 000.T-PKTP10 | 830x700x627     | € 450     |



000.T-900

## Oven base

| Model     | Dimensions (mm) | Net price |
|-----------|-----------------|-----------|
| 000.T-900 | 900x870x620     | € 410     |

**Free-standing  
appliances**

# COMBINATION OVENS

The PK series combination ovens offered by Kromet are versatile devices that enable thermal processing in safe and hygienic conditions.



## RINATO - technologically advanced combination ovens

| Model       | Dimensions (mm) | Chamber dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|-------------------------|------------|-----------|
| 000.PKTP-10 | 915x840x1132    | 490 x 630 x 780         | 15,7 kW    | € 7 950   |
| 000.PKTP-6  | 915x840x852     | 490 x 630 x 500         | 10,7kW     | € 6 670   |

Temperature range: 30° - 270°C  
Rated voltage: 400V

An oven that meets the needs of modern commercial kitchens. Designed with global standards in mind, it features: versatility of use (from catering to baking), lower operating costs thanks to EasyClean Tech, intuitive operation that minimises .

# ELECTRIC BOILING PANS



000.BEK-250AN

Electric boiling pan



| Model         | Capacity            | Dimensions (mm) | Power (kW) | Net price |
|---------------|---------------------|-----------------|------------|-----------|
| 000.BEK-250AN | 250 dm <sup>3</sup> | 1100x1100x900   | 32,5 kW    | € 10 130  |
| 000.BEK-300AN | 300 dm <sup>3</sup> | 1100x1100x900   | 32,5 kW    | € 10 515  |

Drain valve 1 1/2"  
Rated voltage: 400V 3N~  
Water connection G 1/2"  
Max. operating pressure: 0,5 bar

# INDUCTION FRYER



000.PE-02i

Induction bratt pan 10 kW



Free-standing appliance designed for professional kitchens.

- Up to 40% lower energy consumption
- Fast heating
- Precise temperature control Independent heating zones
- Automatic bowl lifting

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 000.PE-02i | 700x800x900     | 10 kW      | € 11 435  |

Temperature range: 80-250°C  
Bowl dimensions: 580x485x200 mm  
Rated voltage: 400V

# TILTING BRATT PANS



000.PE-07x

## Electric bratt pan 120 l

| Model      | Dimensions (mm) | Power (kW) | Net price |
|------------|-----------------|------------|-----------|
| 000.PE-07x | 1200x900x900    | 16,8 kW    | € 7 435   |

Capacity: 120 dm<sup>3</sup>  
 Working area: 0.7 m<sup>2</sup>  
 Temperature range: 50-300°C  
 Bowl dimensions: 1115x630x200  
 Two heating zones  
 Water battery  
 Automatic bowl lifting



000.PTG-025

## Gas bratt pan 37 l

| Model       | Dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|------------|-----------|
| 000.PTG-025 | 700x600x850     | 6,5 kW     | € 2 285   |

Capacity: 37 dm<sup>3</sup>  
 Working surface: 0.25 m<sup>2</sup>  
 Temperature range: 50-250°C  
 Bowl dimensions: 565x425x150  
 Bottom thickness: 6 mm

# TILTING FRYERS



000.PE-025p

## Stainless steel electric fryer 37l

| Model       | Dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|------------|-----------|
| 000.PE-025p | 700x600x850     | 6,5 kW     | € 1 850   |

Capacity: 37dm<sup>3</sup>  
Working surface: 0.25 m<sup>2</sup>  
Temperature range: 50-250°C  
Bowl dimensions: 565x425x150  
Bottom thickness: 6 mm



000.PE-025s

## Stainless steel electric fryer 37l

| Model       | Dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|------------|-----------|
| 000.PE-025s | 700x600x850     | 6,5 kW     | € 1 795   |

Capacity: 37dm<sup>3</sup>  
Working surface: 0.25 m<sup>2</sup>  
Temperature range: 50-250°C  
Bowl dimensions: 565x425x150  
Bottom thickness: 6 mm



000.PE-025N

## Stainless steel electric fryer 37l

| Model       | Dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|------------|-----------|
| 000.PE-025N | 700x600x650     | 6,5 kW     | € 1 795   |

Capacity: 37dm<sup>3</sup>  
Working area: 0.25 m<sup>2</sup>  
Temperature range: 50-250°C  
Bowl dimensions: 565x425x150  
Bottom thickness: 6 mm

# TILTING BRATT PANS



000.PE-040x

Stainless steel electric bratt pan with mechanical tilting bowl 64l

| Model       | Dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|------------|-----------|
| 000.PE-040x | 720x800x850     | 9 kW       | € 3 205   |

Capacity: 64dm<sup>3</sup>  
Working surface: 0.40 m<sup>2</sup>  
Temperature range: 50-250°C  
Bowl dimensions: 670x630x158  
Bottom thickness: 8 mm



000.PE-040p


Stainless steel electric bratt pan with manual tilting bowl 64l

| Model       | Dimensions (mm) | Power (kW) | Net price |
|-------------|-----------------|------------|-----------|
| 000.PE-040p | 720x800x850     | 9 kW       | € 3 205   |

Capacity: 64dm<sup>3</sup>  
Working surface: 0.40 m<sup>2</sup>  
Temperature range: 50-250°C  
Bowl dimensions: 670x630x158  
Bottom thickness: 8 mm

## UNBEATABLE TEMPERATURE DISTRIBUTION

FRYING PAN PRODUCED BY KROMET



The newly designed 8 mm thick stainless steel bottom of the pan allows for perfect temperature distribution across the entire working surface of the bowl. Thanks to this solution, KROMET tilting bratt pans are unrivalled in their class.

Temperature distribution applies to models: 000.PE-025p, 000.PE-025s, 000.PE-025n

# STOOLS



000.TE-1i

## Induction stool

| Model     | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|-----------|-----------------|---------------|------------|-----------|
| 000.TE-1i | 510x565x410     | 1             | 8 kW       | € 4 615   |



000.TE-2i

## Induction stool



| Model     | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|-----------|-----------------|---------------|------------|-----------|
| 000.TE-2i | 555x600x425     | 1             | 5 kW       | € 1 540   |
| 000.TE-3i | 605x650x425     | 1             | 8 kW       | € 1 795   |



000.TE-1F

## Electric stool 5KW

| Model     | Dimensions (mm) | Heating zones | Power (kW) | Net price |
|-----------|-----------------|---------------|------------|-----------|
| 000.TE-1F | 590x650x410     | 1             | 5 kW       | € 950     |



000.TG-1F

## 9kW gas stool

| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.TG-1F | 590x650x410     | 1       | 9 kW       | € 795     |



000.TG-2

## 2-burner gas stool

| Model    | Dimensions (mm) | Burners | Power (kW) | Net price |
|----------|-----------------|---------|------------|-----------|
| 000.TG-2 | 1185x580x430    | 2       | 18 kW      | € 975     |



## Gas stool

| Model    | Dimensions (mm) | Burners | Power (kW) | Net price |
|----------|-----------------|---------|------------|-----------|
| 000.TG-1 | 580x580x430     | 1       | 9 kW       | € 615     |



## Gas stool

| Model     | Dimensions (mm) | Burners | Power (kW) | Net price |
|-----------|-----------------|---------|------------|-----------|
| 000.TG-1s | 400x400x380     | 1       | 6,5 kW     | € 375     |

Option to adapt the device to propane-butane gas - PLN 50 net

# HEATING BAN-MARIES



## Mobile bain-maries



| Model    | Dimensions (mm) | Power (kW) | Net price |
|----------|-----------------|------------|-----------|
| 000.BJ-2 | 850x700x900     | 1,4 kW     | € 1 385   |
| 000.BJ-3 | 1300x700x900    | 2,1 kW     | € 1 825   |
| 000.BJ-4 | 1650x700x900    | 2,8 kW     | € 1 975   |

Temperature range: 30-90°C  
Power supply: 230 V



## Stationary bain-maries



| Model    | Dimensions (mm) | Power (kW) | Net price |
|----------|-----------------|------------|-----------|
| 000.BS-2 | 850x700x900     | 1,4 kW     | € 1 359   |
| 000.BS-3 | 1300x700x900    | 2,1 kW     | € 1 795   |
| 000.BS-4 | 1650x700x900    | 2,8 kW     | € 1 949   |

Temperature range: 30-90°C  
Power supply: 230 V

# COOLING BASES



KR-94702

Cooling base for the 700 line, width 1200

| Model    | Dimensions (mm) | Drawer capacity    | Power (kW) | Net price |
|----------|-----------------|--------------------|------------|-----------|
| KR-94702 | 1200x666x620    | 4 x GN 1/1 H=100mm | 0,32 kW    | € 3 200   |



KR-94703

Cooling base for the 700 line, width 1600

| Model    | Dimensions (mm) | Drawer capacity    | Power (kW) | Net price |
|----------|-----------------|--------------------|------------|-----------|
| KR-94703 | 1600x666x620    | 6 x GN 1/1 H=100mm | 0,32 kW    | € 3 800   |



Compact  
**Fast Food** line

# FAST FOOD LINE

## STAINLESS STEEL ROLLER TOASTERS



000.ROE-6N

### Electric roller toaster

| Model              | Dimensions (mm) | Power (kW) | Net price |
|--------------------|-----------------|------------|-----------|
| 000.ROE-6N/45.1S.N | 540x300x173     | 0,9 kW     | €727      |

Temperature range: 50-300°C  
Power supply: 230 V  
Rollers: stainless steel  
Number of heating zones: 1



000.ROE-8N

### Electric roller toaster

| Model              | Dimensions (mm) | Power (kW) | Net price |
|--------------------|-----------------|------------|-----------|
| 000.ROE-8N/45.1S.N | 540x381x173     | 1,2 kW     | €808      |

Temperature range: 50-300°C  
Power supply: 230 V  
Rollers: Teflon  
Number of heating zones: 1



000.ROE-10N

### Electric roller toaster

| Model               | Dimensions (mm) | Power (kW) | Net price |
|---------------------|-----------------|------------|-----------|
| 000.ROE-10N/45.2S.N | 540x468x173     | 1,5 kW     | €1,128    |

Temperature range: 50-300°C  
Power supply: 230 V  
Rollers: stainless steel  
Number of heating zones: 2



000.ROE-14N

## Electric roller toaster

| Model               | Dimensions (mm) | Power (kW) | Net price |
|---------------------|-----------------|------------|-----------|
| 000.ROE-14N/45.2S.N | 540x636x173     | 2,1 kW     | €1,282    |
| 000.ROE-14N/65.2S.N | 730x636x173     | 2,8 kW     | €1,564    |

Temperature range: 50-300°C  
 Power supply: 230 V  
 Rollers: stainless steel  
 Number of heating zones: 2



000.ROE-6

## Electric roller toaster

| Model             | Dimensions (mm) | Power (kW) | Net price |
|-------------------|-----------------|------------|-----------|
| 000.ROE-6/45.1S.N | 540x300x173     | 0,9 kW     | €754      |

Temperature range: 50-300°C  
 Power supply: 230 V  
 Rollers: Teflon  
 Number of heating zones: 1



000.ROE-8

## Electric roller toaster

| Model             | Dimensions (mm) | Power (kW) | Net price |
|-------------------|-----------------|------------|-----------|
| 000.ROE-8/45.1S.N | 540x381x173     | 1,2 kW     | €888      |

Temperature range: 50-300°C  
 Power supply: 230 V  
 Rollers: Teflon  
 Number of heating zones: 1

# FAST FOOD LINE

## TELEPHONE ROLLER TOASTERS



000.ROE-10

### Electric roller toaster

| Model              | Dimensions (mm) | Power (kW) | Net price |
|--------------------|-----------------|------------|-----------|
| 000.ROE-10/45.2S.N | 540x468x173     | 1,5 kW     | €1,179    |

Temperature range: 50-300°C  
Power supply: 230 V  
Rollers: Teflon  
Number of heating zones: 2



000.ROE-14

### Electric roller toaster

| Model              | Dimensions (mm) | Power (kW) | Net price |
|--------------------|-----------------|------------|-----------|
| 000.ROE-14/45.2S.N | 540x636x173     | 2,1 kW     | €1,397    |
| 000.ROE-14/65.2S.N | 730x636x173     | 2,8 kW     | €1,603    |

Temperature range: 50-300°C  
Power supply: 230 V  
Rollers: Teflon  
Number of heating zones: 2

## CERAMIC ROLLER TOASTER



000.ROEG-2

### Electric roller toaster with heating plate

| Model        | Dimensions (mm) | Strefy grzewcze | Power (kW) | Net price |
|--------------|-----------------|-----------------|------------|-----------|
| 000.ROEG - 1 | 540x636x178     | 2               | 1,7 kW     | €1,154    |
| 000.ROEG - 2 | 540x636x178     | 3               | 1,7 kW     | €1,179    |

Temperature range: 50-300°C  
Power supply: 230 V  
Rollers: ceramic coating

# SALAMANDER



000.SW-1

## Salamander with lift

| Model    | Dimensions (mm) | Grate | Power (kW) | Net price |
|----------|-----------------|-------|------------|-----------|
| 000.SW-1 | 500x553x465     | 1     | 3,5 kW     | € 1 385   |

Temperature range 50°C - 300°C  
Grate dimensions: 350 x 500 mm  
Rated voltage: 230V  
Number of heating zones: 2

# HEATING PLATE



000.PBE-460x480.N

## Direct frying plate

| Model             | Dimensions (mm) | Worktop | Power (kW) | Net price |
|-------------------|-----------------|---------|------------|-----------|
| 000.PBE-460x480.N | 460x525x140     | 1       | 3,5 kW     | € 745     |

# CONTACT GRILL



000.GS-1

## Contact grill 1.6kW

| Model    | Dimensions (mm) | Heating plate | Power (kW) | Net price |
|----------|-----------------|---------------|------------|-----------|
| 000.GS-1 | 273x328x192     | 256x256 mm    | 1,6 kW     | € 508     |

Temperature range: 50-250°C  
Power supply: 230 V  
heating plate: Teflon coating



# SALES DEPARTMENT

## Area - export:



**Adam Wojna**  
Director of Export Sales  
  
+48 798 351 233  
a.wojna@kromet.com.pl

## Area - whole Poland:



**Wiktor Tusiński**  
Domestic Sales Director  
  
+ 48 512 469 575  
w.tusinski@kromet.com.pl

## Sales Department:



**Anetta Łopatkiewicz:**  
  
+48 513 347 565



**Magdalena Grabowska**  
  
+48 660 487 270

handlowy@kromet.com.pl | +48 68 383 52 73

## Marketing department

**Magdalena Grabowska**

+48 660 487 270  
marketing@kromet.com.pl

## Parts department:

**Danuta Szaciłto**

+48 660 759 509  
czesci@kromet.com.pl / +48 68 383 52 46

## Service department:

serwis@kromet.com.pl  
+48 68 383 52 73 w. 367 | +48 660 455 460

**[www.kromet.com.pl](http://www.kromet.com.pl)**

PHOTOS IN THE CATALOGUE ARE FOR PREVIEW PURPOSES ONLY.  
The final product may differ slightly from the model shown.

You can find us at:



[instagram.com/kromet\\_](https://www.instagram.com/kromet_)



[facebook.com/KrometSpzoo](https://www.facebook.com/KrometSpzoo)



[youtube.com/@krometspzoo](https://www.youtube.com/@krometspzoo)

## **Kromet Sp. z o.o.**

ul. Pocztowa 30  
66-600 Krosno Odrzańskie

tel. +48 383 53 24  
[www.kromet.com.pl](http://www.kromet.com.pl)



***Kromet***<sup>®</sup>

**FOR  
BETTER  
COOKING**





